

Cellular modulation by the mechanical cues from biomaterials for tissue engineering

Qiang Wei¹, Shenghao Wang¹, Feng Han¹, Huan Wang¹, Weidong Zhang¹, Qifan Yu¹, Changjiang Liu², Luguang Ding², Jiayuan Wang², Lili Yu², Caihong Zhu^{2,*}, Bin Li^{1,2,3,*}

Key Words:

cell behaviour; mechanical cues; multi-modal; stiffness; viscoelasticity

From the Contents

Introduction	323
Cellular Modulation by Matrix Elasticity	324
Cellular Modulation by Matrix Viscoelasticity	327
Comparison of Cellular Modulation Mediated by Elasticity and Viscoelasticity	331
Cellular Modulation by Other Mechanical Cues	332
Molecular Basis	334
Multimodal Mechanical Regulation of Cell Behaviours	335
Interplay between Matrix Mechanical Cues and Other Environmental Factors	336
Concluding Remarks and Future Perspectives	336

ABSTRACT

Mechanical cues from the extracellular matrix (ECM) microenvironment are known to be significant in modulating the fate of stem cells to guide developmental processes and maintain bodily homeostasis. Tissue engineering has provided a promising approach to the repair or regeneration of damaged tissues. Scaffolds are fundamental in cell-based regenerative therapies. Developing artificial ECM that mimics the mechanical properties of native ECM would greatly help to guide cell functions and thus promote tissue regeneration. In this review, we introduce various mechanical cues provided by the ECM including elasticity, viscoelasticity, topography, and external stimuli, and their effects on cell behaviours. Meanwhile, we discuss the underlying principles and strategies to develop natural or synthetic biomaterials with different mechanical properties for cellular modulation, and explore the mechanism by which the mechanical cues from biomaterials regulate cell function toward tissue regeneration. We also discuss the challenges in multimodal mechanical modulation of cell behaviours and the interplay between mechanical cues and other microenvironmental factors.

*Corresponding authors:

Caihong Zhu,
zhucaihong@suda.edu.cn;
Bin Li, binli@suda.edu.cn.

<http://doi.org/10.12336/biomatertransl.2021.04.001>

How to cite this article:

Wei, Q.; Wang, S.; Han, F.; Wang, H.; Zhang, W.; Yu, Q.; Liu, C.; Ding, L.; Wang, J.; Yu, L.; Zhu, C.; Li, B. Cellular modulation by the mechanical cues from biomaterials for tissue engineering. *Biomater Transl.* 2021, 2(4), 323-342.



Introduction

As is well known, movement of the human body is realized through precise coordination of different systems, including physical movements guaranteed by the skeletal system, blood circulation generated by the circulatory system, and gas exchange carried out by the respiratory system. The mechanical loads generated by these physical activities regulate tissue homeostasis through biomechanical changes. The human body also responds to mechanical signals from the environment, such as bone microarchitecture remodelling under local mechanical stimulation.¹ These macroscopic phenomena in living tissue are the result of an accumulated series of cellular reactions, especially the interaction between cells and their corresponding extracellular matrix (ECM). This interaction has become the critical mechanical force not only in maintaining homeostasis of the body, but also in regulating stem cell behaviours and fate to

direct developmental processes. ECM, a network composed of a series of functional proteins and polysaccharides, transmits external mechanical stimuli to cells and regulates cell spreading, proliferation, differentiation, senescence or even carcinogenesis.²⁻⁶ Meanwhile, the resident cells can remodel their cytoskeleton as well as the composition and structure of the ECM in response to the mechanical microenvironment, resulting in substantial differences in tissue development, physiological activity, disease progression and tissue reconstruction.⁷ Thus, different tissues form unique ECMs with distinct mechanical properties including elasticity⁸ and viscoelasticity,⁹ various nano- or micro-topographies,¹⁰ and different external mechanical environments.¹¹ Tissue engineering provides a promising approach to produce new viable tissue for repairing/replacing damaged tissues and thus restoring their biological functions. Since scaffolds are a fundamental component of cell-based regenerative therapies, it is important to understand how they transmit mechanical

stimulation to cells. Meanwhile, it is also critical to explore the mechanisms which guide cell function by controlling the mechanical cues of naturally- or synthetically-derived biomaterials to promote tissue regeneration.

In this review, we summarise recent findings in the area of cellular regulation and how it is affected by mechanical cues from biomaterials, including elasticity, viscoelasticity, topography, and external stimuli, and discuss how these mechanical cues are controlled and manipulated to promote tissue regeneration (**Figure 1**). We also discuss the interwoven effects, or multimodal mechanical regulation, on cell behaviours, and the interplay between matrix mechanical cues and other environmental factors.

Cellular Modulation by Matrix Elasticity

Elasticity of natural tissues

Over the last two decades, the mechanical parameter of living

tissue that has received the most attention is elasticity. There are different factors, including stiffness, elastic modulus, flexibility, and rigidity, which characterize the resistance of materials to deformation. In fact, nearly all natural tissues are viscoelastic.¹² To avoid confusion, the elasticity of natural tissues described in this section refers to the stiffness of natural tissues. Each tissue or organ in our body, from soft fat to rigid bone, has characteristic elasticity to fulfil specific physiological needs^{8, 13–15} (**Figure 2A**). For example, the elasticity of bone is much higher than that of other tissues, mainly because of its function in supporting the body and protecting other tissues. Changes of tissue elasticity in pathological states are usually related to the progression of disease. For instance, reduced cartilage stiffness is correlated with osteoarthritis progression. The stiffness of cartilage is 0.50 ± 0.14 , 0.37 ± 0.13 , and 0.28 ± 0.12 MPa for samples with International Cartilage Repair Society grades of 1, 2, and 3, respectively.¹⁶ Recently, Zhang et al.¹⁷ have confirmed that the human cartilage matrix




Figure 1. Schematic illustration of matrix mechanical cues that regulate cell behaviours. In general, the matrix mechanical cues include elasticity, viscoelasticity, topography, fibre stiffness, and external stimuli, all of which can regulate many cellular behaviours, including cell adhesion, spreading, proliferation, migration and differentiation. However, a single mechanical stimulus is generally insufficient to induce stem cell differentiation and achieve tissue regeneration; instead, multimodal mechanical factors including elasticity, viscoelasticity, topography and external mechanical stimuli would have a synergistic effect in guiding cell behaviours to promote tissue regeneration.




Figure 2. (A, B) Distinct moduli of human tissues suggesting tissue-specific stiffness (A) and substrate elasticity (B) used to direct stem cell differentiation toward the cell phenotypes of various tissues. Figure 2A was adapted from Handorf et al.⁸ by using some of its data in combination with other data source^{13–15} and Figure 2B was reprinted from Han et al.¹⁸ Copyright © Royal Society of Chemistry.

1 Department of Orthopaedic Surgery, Orthopaedic Institute, The First Affiliated Hospital of Soochow University, Suzhou, Jiangsu Province, China; 2 College of Chemistry, Chemical Engineering and Materials Science, Soochow University, Suzhou, Jiangsu Province, China; 3 China Orthopaedic Regenerative Medicine Group (CORMed), Hangzhou, Zhejiang Province, China.

hardens during osteoarthritis progression. On the other hand, a mechanotransducer-targeted drug which mediates ECM stiffness to maintain chondrocyte phenotype is able to prevent cartilage degeneration. Therefore, maintaining the elasticity of natural tissues is very important. Understanding how tissue elasticity regulates the behaviours of cells, especially stem cells, is essential for designing biomaterials to guide cell functions and lead to tissue regeneration.

Every tissue is a specific combination of ECM, local cells and growth factors. Among them, the ECM is the most important regulator of tissue elasticity, and plays a significant role in modulating the behaviours of the resident cells, including adhesion, spreading, proliferation, migration, differentiation, and apoptosis.¹⁸ Changes of ECM stiffness will lead to changes of the physical properties of the tissue and consequently to changes in cell behaviours, which, in turn, may drive abnormal cell proliferation and tumourigenesis.¹⁹ In addition, stiffness which matches the native ECM may induce stem cells to differentiate into residential tissue cell lines. For example, Engler et al.²⁰ have demonstrated that human bone marrow mesenchymal stem cells (BMSCs) can be induced into neuronal, muscle or bone lineages when cultured on soft, medium, or stiff hydrogel matrix, respectively. In recent decades, the effects of ECM stiffness on cell activities have been thoroughly explored. Numerous studies have revealed that matrix stiffness has a substantial impact on stem cell differentiation (**Figure 2B**). The development of this field can be divided roughly into three stages (**Figure 3**).

In 2016, we summarized the general principles and strategies to develop natural or synthetic materials with different elasticities for cellular modulation.¹⁸ In this article, we discuss

the underlying principles and recent advances in further understanding how biomaterials can be designed to control the elastic microenvironment and thus regulate cell behaviours toward tissue regeneration.

Biomaterials with adjustable elasticity

Numerous biomaterials with different elasticities have been fabricated to study the effects of ECM stiffness on various cell behaviours. The latest strategies to manipulate the elasticity of matrix for studying the effect of tissue elastic environment on cell behaviours have been summarized (**Additional Table 1**).

Many natural or synthetic biomaterials with adjustable elasticity have been developed for cell modulation.²⁰⁻³³ In order to expand the library of controllable elastic biomaterials, study the interplaying effect of matrix elasticity with other physical cues, and develop elastic materials with tissue heterogeneity, some new strategies have been developed recently. For example, to understand the cross-talk effect of porosity and elasticity on encapsulated mesenchymal stem cells (MSCs), Ansari et al.³⁴ used microfluidic technology to prepare alginate microspheres with different elasticities and architectures which they used as the carrier of MSCs. The elasticity of alginate hydrogels increased with increased calcium ion concentration, while the porosity decreased. MSCs can be encapsulated into these microspheres uniformly, and be regulated by the interplaying effect of elasticity and microstructure. Enzyme-catalysed crosslinking of silk fibroin using horseradish peroxidase and hydrogen peroxide has been reported to form hydrogels with adjustable stiffness in the range of 0.2–10 kPa. Wang et al.³⁵ recently introduced inert silk fibroin nanofibres into these gels, and significantly improved the elasticity up to 9–60 kPa to match the mechanical properties of many tissues, especially




Figure 3. Stages in the development of research showing how matrix elasticity regulates cell behaviours. (A) The pioneering study demonstrates that human BMSCs were effectively induced to differentiate into neuronal, muscle or bone lineages when they were cultured on soft, medium, or stiff substrates. Stiffness was then considered as one of the most important mechanical cues in tissue engineering. Reprint from Engler et al.²⁰ Copyright 2006, with permission from Elsevier. (B) In the following years, numerous biomaterials have been developed to explore cell behaviours including stem cell fate affected by substrate elasticity, and its underlying molecular mechanism. (C) In recent years, many studies began to focus on the interplay between substrate elasticity and other cues (such as topography, geometry, growth factors, etc.) and its effect on cell behaviours. In addition, to simulate dynamic changes in stiffness *in vivo*, biomaterials with dynamic elasticity *in situ* have been designed to explore mechanobiological pathways that may differ from those under static cell culture. Further, new mechanosensitive proteins have been found to be involved in the cellular responses toward matrix elasticity, including YAP, piezo, caveolin-1, etc. BMSCs: bone marrow mesenchymal stem cells; FAK: focal adhesion kinase; MAPK: mitogen-activated protein kinase; ROCK: RHO-related protein kinase 1; YAP: yes-associated protein.

bone and cartilage. To mimic the gradual change in elasticity of the annulus fibrosus (AF) along the radial direction, we synthesized biodegradable poly(ether carbonate urethane) urea with diverse Young's moduli (2.5–13.4 MPa), by adjusting the molecular weight of polydiols and the feed ratios of hard molecular segment to soft molecular segment.³⁶

In natural tissues, ECM remodelling often changes the physical stiffness of the local environment. In the past, most research in this field was carried out using static substrates as artificial ECM. In recent years, some hydrogels with dynamic stiffness *in situ* have emerged to simulate the dynamic stiffness changes which occur *in vivo*. For example, Günay et al.³⁷ used light-mediated anthracene group [4+4] photodimerization to prepare polyethylene glycol (PEG)-based hydrogels, which were cytocompatible and provided a tailorable initial modulus that could be further strengthened. To correspond to the stiffness of a healthy or a fibrotic heart, the hydrogels were stiffened from 10 kPa to 50 kPa to monitor the stiffness-dependent localization of nuclear factor of activated T cells. This type of material provides an intriguing way to reveal the dynamics of mechano-reactive signalling pathways, which differ from those under static cell culture. Moreover, Young and Engler³⁸ prepared hydrogels with time-dependent stiffness by polymerization of thiolated hyaluronic acid and polyethylene glycol diacrylate (PEGDA) to simulate the dynamic mechanics of heart development. The stiffness of the hydrogel increased from 1.9 ± 0.1 kPa to 8.2 ± 1.1 kPa within 69.6 hours after polymerization, and ester hydrolysis had no significant effect on hydrogel stiffening over 2 weeks. Compared with the static polyacrylamide hydrogel group, pre-cardiac cells cultured on dynamic hyaluronic acid hydrogels formed more mature myocardial fibres and the expression level of mature cardiac-specific markers was significantly increased. More interestingly, Fu et al.³⁹ used a redox-responsive protein folding switch to fabricate a dynamic protein hydrogel with a Young's modulus which could be reversibly regulated using redox conditions. Whether starting from the reduced state or from the oxidized state, the Young's modulus of the hydrogels was reversible cyclically in response to changes in the redox condition. Importantly, such reversibility remained even after storage in phosphate-buffered saline or cell culture medium for 2 weeks. They further found that human lung fibroblasts dynamically changed their morphology with the cyclic variation of the hydrogel's Young's modulus between ~6 kPa and ~20 kPa, demonstrating the potential of such material in mechanobiology studies.

Effects of matrix elasticity on cell behaviours

Cell adhesion

Cell adhesion to the ECM is a complex process, involving cell attachment, cell spreading, actin cytoskeleton organization and then focal adhesion (FA) formation. Cell attachment can be completed in a short time to connect cells to the matrix. The cells then spread on the matrix and develop different morphologies. Following that, actin polymerises into microfilaments to form the actin cytoskeleton. Finally, the formation of FAs constitutes the connection between

the matrix and the cellular cytoskeleton. The FAs, mainly composed of transmembrane adhesion receptors including integrins, vinculins and paxillins, can transfer biological and mechanical stimuli into cells and initiate molecular pathways which subsequently regulate gene expression.²⁰ A number of studies have demonstrated that the assembly and turnover of FAs are affected by the elasticity of the substrate. In general, cells have more stable and matured FAs on stiffer substrates, and have reduced and diffused adhesion complexes on softer substrates. For example, osteocytes form more stable vinculin-containing adhesion complexes on a stiff substrate than those on a soft substrate.⁴⁰ Myocardial cells also exhibit a stronger traction force on stiffer substrates.⁴¹ However, the relationship between cell adhesion strength and matrix elasticity is non-linear. It has been reported that when fibroblasts and endothelial cells (ECs) are cultured sparsely without cell-cell contacts, the spread area of cells abruptly changes at a stiffness range of around 3 kPa.⁴²

Cell migration

Cell migration is an essential cell behaviour in diverse biological processes including development, angiogenesis, wound healing and inflammation. It is also highly sensitive to environmental stiffness. For example, the migration speed of HT-1080 fibrosarcoma cells doubled on a stiff gel (13 kPa) compared to those on a soft gel (0.34 kPa).⁴³ When renal progenitor cells were seeded onto substrates with different elasticities, cell migration was limited on the substrates of 0.5 kPa and 2 kPa, but increased on the substrate of 4 kPa and remained stable on the stiff plates.⁴⁴ Migration speed thus increases or decreases with the change of matrix elasticity, in other words, many cell types have an optimal stiffness, at which cell migration is maximal. For instance, smooth muscle cells show obvious biphasic dependence on matrix elasticity, and have a maximal speed at a particular stiffness.⁴⁵ To predict the optimal environmental stiffness for different cells, Bangasserere et al.⁴⁶ developed a cell migration simulator and successfully determined the optimal stiffness for embryonic chick forebrain neurons (~1 kPa) and U251 glioma cells (~100 kPa). The simulator would help researchers find the optimum stiffness to encourage cells to move to damaged or unhealthy tissues to restore the function of the tissue. Matrix elasticity affects not only the ability of cells to migrate, but also their direction of migration. Directional migration has been observed from softer to more stiff regions for many cell types.^{47–49} For example, vascular smooth muscle cells showed obvious directional migration on a mechanical gradient matrix coated with fibronectin, but not on a mechanical gradient matrix coated with laminin, indicating that the adhesion ligand might be an important element which affects cell migration in response to mechanical gradients.⁴⁷

Cell proliferation and apoptosis

Cell proliferation and apoptosis is the basis of growth, development and regeneration of organisms. There are many important factors that affect cell proliferation and apoptosis, and matrix elasticity is among them. For example, proliferation of periodontal ligament stem cells on stiff

substrates was faster than on soft substrates.⁵⁰ The effect of matrix stiffness on cell proliferation is especially prominent in tumour cells. Increased proliferation of breast cell lines has been seen on stiff substrates.⁵¹ Many cells divide much more rapidly on a relatively stiffer substrate, while some cells behave differently. For instance, neural stem/progenitor cells proliferated well on soft substrates (< 10 kPa) and exhibited maximal proliferation on 3.5 kPa substrates.⁵² Robinson et al.⁵³ developed a series of PEG-based hydrogels to investigate the effect of substrate stiffness on various vascular cells, including human umbilical vein ECs, human aortic adventitial fibroblasts, and human aortic vascular smooth muscle cells. Proliferation of human aortic adventitial fibroblasts increased with the increased hydrogel elasticity, yet proliferation of human umbilical vein ECs demonstrated an opposite trend with most rapid proliferation on the softest hydrogels. Interestingly, proliferation of human aortic vascular smooth muscle cells was hardly affected by matrix stiffness. Therefore, the proliferative response of cells to matrix elasticity showed cell-type specificity and nonlinearity. Accordingly, a range of substrate stiffness should be tested to determine the optimum moduli for cell growth. ECM with appropriate stiffness may promote cell proliferation and slow apoptosis.

Cell differentiation

Stem cells can self-renew and differentiate, playing an important role in tissue regeneration. Matrix elasticity has been considered to be one of the key factors that regulate the fate of stem cells, including embryonic stem cells (ESCs), induced pluripotent stem cells (iPSCs) and various adult stem cells. For example, when human ESCs were cultured on fibronectin-coated poly(dimethyl siloxane) (PDMS) substrates with various elasticities,⁵⁴ mesodermal differentiation was upregulated as stiffness increased. In another study, Arshi et al.⁵⁵ studied the effect of matrix rigidity on cardiac cell differentiation by using mouse and human ESCs. They found that a rigid microenvironment promoted cardiac differentiation of both mouse and human ESCs. Similar to ESCs, iPSCs can also differentiate into cardiomyocytes on soft polyacrylamide gels.⁵⁶ Recently, Fu et al.⁵⁷ utilised gelatine-coated PDMS substrates to study the influence of stiffness on the self-renewal and cardiac differentiation of iPSCs. They found that iPSCs exhibited higher levels of a pluripotency marker, but lower cardiac gene expression, on stiffer PDMS, while iPSCs on soft PDMS responded in the opposite way.⁵⁷ MSCs are a promising adult stem cell source for tissue regeneration, which have been more commonly used in studying the role of matrix elasticity on stem-cell fate. For example, Discher et al.²⁰ demonstrated that human MSCs (hMSCs) differentiated into neuron-like cells, myoblasts, and osteoblasts, on gels whose elasticity mimicked the corresponding tissues. Subsequently, extensive studies have confirmed the relationship between matrix elasticity and MSC differentiation, including osteogenesis, myogenesis, adipogenesis, angiogenesis, and neurogenesis. For instance, MSCs undergo stronger chondrogenic differentiation on stiff matrix compared with soft matrix.³⁹ Thus tissue-derived stem cells can be easily induced into the corresponding tissues. In order to check whether AF-derived stem cells (AFSCs) can

differentiate into corresponding cell types in native AF tissue to produce matching ECM, we recently developed a series of polycarbonate-based polyurethanes to mimic the physical features of natural AF tissue. We found that the elasticity of the scaffold has the ability to induce AFSCs to differentiate into corresponding AF-like cells.³⁶ In general, stem cells differentiate best on substrates which have similar elasticity to the target tissue.⁵⁸

Implications for tissue regeneration

Matrix elasticity has a great impact on cell fate and activity. Therefore, this feature must be considered carefully when developing biomaterials for tissue engineering. Choosing suitable matrix stiffness to promote tissue regeneration has been widely used in the regeneration of tissues including nerve, muscle, bone, cartilage, and blood vessels. For example, the formation and activity of neuronal networks can be modulated by matrix stiffness.⁵⁹ On soft substrates, the migration of cortical neurons is enhanced, which leads to a faster formation of neuronal networks, while on stiff substrates, the pre-synaptic density, number of action potentials and miniature synaptic currents are enhanced, which indicates that matrix stiffness should be a key design parameter in scaffold fabrication for neural tissue engineering. However, for bone tissue engineering, a stiffer substrate is more appropriate. For example, three-dimensional (3D) porous collagen/hydroxyapatite scaffolds with the same microstructures but different stiffnesses were fabricated for bone tissue engineering.⁶⁰ Bone matrix proteins, including osteocalcin and osteopontin, exhibited significantly higher expression on the highest stiffness group after 3 weeks of culture. The expression of osteocalcin and osteopontin was also higher on the highest stiffness group after 1 and 3 months of implantation *in vivo*. Matrix elasticity also plays a critical role in regulating chondrocyte behaviour and phenotype *in vitro* for cartilage tissue engineering. Many key features of chondrocytes including cell spreading area, percentage of irregular cell shape distribution, and mechanical characteristics are matrix stiffness-dependent,⁶¹ implying that choosing the optimal matrix elasticity is very important for cartilage tissue engineering.^{62–64} For instance, architected 3D hydrogel scaffolds (ArcGels) were used to explore the stiffness effect on human articular chondrocytes *in vitro* and *in vivo*. The results showed that chondrogenic differentiation was more efficiently promoted on soft ArcGel *in vitro*, while the chondrogenic phenotype of human articular chondrocytes and retention of cartilaginous matrix were better maintained on stiff ArcGel upon ectopic implantation. In general, when the stiffness of a tissue engineering scaffold is similar to that of the host tissue, the stem cells tend to proliferate, secrete a large amount of ECM and differentiate into the cells of the specific tissue.

Cellular Modulation by Matrix Viscoelasticity

Viscoelastic property of living tissues

Stiffness or elasticity has been recognized as the most important parameter in evaluating the mechanical properties of biological tissues.^{8, 18, 19} Yet, it should be noted that the mechanical properties of tissues or organs are dynamic and

constantly changing showing spatio-temporal characteristics. Viscoelasticity is an important mechanical parameter with a time dimension. As a common and basic mechanical feature of native tissues, viscoelasticity has been widely examined in living tissues and organs, including skin, muscle, cartilage, blood vessels, tendons, brain, liver, breast, and embryo.⁹ The viscoelasticity of tissues is mainly the product of the ECM and resident cells. ECM is rich in biological macromolecular substances, such as proteoglycan, hyaluronic acid, collagen, fibrin and laminin, whose mechanical behaviours show time-dependent characteristics. The diversity in biochemical components and tissue-specific structures contributes to the characteristic ECM stress relaxation, i.e., viscoelasticity. The viscoelasticity of a tissue plays an important role in the normal physiological function of the organism, especially in the motor system to protect tissues and cells under persistent or irregular high stress. For example, the viscoelastic connections of bone, muscle and connective tissue cushion stress conduction and increase energy storage and dissipation.⁶⁵ In addition, changes in the viscoelasticity of healthy tissues are also considered relevant to the occurrence and development of pathological processes, including liver fibrosis, progression of breast cancer, scleroderma, and osteoporotic deterioration.^{66–69} Consequently, thorough examination of the viscoelasticity of living tissues would lead us to fully understand the mechanism of physiological activities and pathological disorders, so as to guide the design of tissue-mimicking viscoelastic scaffolds for tissue regeneration. In this article, we discuss the underlying

principles and recent advances in the viscoelasticity-dependent regulation of various cell behaviours, including cell adhesion, diffusion, migration, proliferation, and stem-cell differentiation.

Biomaterials with adjustable viscoelasticity

Cells reside in a highly-dynamic, viscoelastic ECM, read microenvironmental cues and respond to them in a mechanically-sensitive manner to maintain the health of cells and tissues. In order to study the correlation between cell function and viscoelasticity, many hydrogels with adjustable viscoelasticity have been developed to simulate the microenvironment by matching the natural viscoelastic ECM. There are various molecular origins of viscoelastic hydrogels, including the movements of entangled polymers or “loose ends” of crosslinked polymers, protein folding, and deriving from physically non-covalent crosslinkers or chemically-dynamic covalent crosslinkers (Figure 4).

Polyacrylamide hydrogels, with varying loss moduli caused by movement of the loose ends of polymer chains, was an early approach to explore the effect of viscoelasticity on hMSC behaviour. The results highlighted that substrate creep was an important mechanical property of a biomaterial system to encourage cell growth and differentiation.⁷⁰ Recently, Charrier et al.⁷¹ reported a type of soft, viscoelastic polyacrylamide hydrogel with independently-tuneable elasticity and viscous dissipation, due to the movements of entangled




Figure 4. Schematic diagram showing the molecular mechanism of the changes undergone by viscoelastic hydrogels when subjected to an external force. (A) Polyacrylamide-based hydrogels with different loss moduli varied through the movement of loose ends of polymer chains, or the loosening of entangled linear polyacrylamide. (B) Physically cross-linked hydrogels with varying viscoelasticity through the breaking of ionic interactions, hydrogen bonding, guest–host interactions, etc. In particular, for ionically cross-linked hydrogels, the viscoelasticity can also be tuned by incorporating covalent cross-linkers and polymer spacers. (C) Chemically-dynamic cross-linked hydrogels which change through the dissociation of chemical covalent bonds.

linear polyacrylamide which was sterically entrapped in the polyacrylamide crosslinked networks. They demonstrated that viscous dissipation is a determinant of cell phenotype and tissue homeostasis.⁷¹

However, most viscoelastic adjustable hydrogels were developed by creating networks with specific crosslinkers including physically non-covalent crosslinkers (e.g., ionic interaction,^{72–75} hydrogen bonding,⁷⁶ guest-host interactions,⁷⁷ etc.) and chemically dynamic covalent crosslinkers (e.g., acetyl exchange, disulphide bonds, hydrazone/oxime exchange, Diels-Alder reaction, etc.).^{75,78–85} (**Additional Table 2**).

Alginate, a natural material, has been used to fabricate viscoelastic matrices for cell culture. The viscoelasticity can be controlled by changing the ratio of ionic cross-linker to covalent cross-linker, whose stress relaxation occurs as a result of crosslinker unbinding.⁸⁶ Based on this, Chaudhuri's group,^{73,87} reported that alginate hydrogels with various stress relaxation properties were obtained by changing the molecular weight of alginate or covalent incorporation of short PEG chains, which modulated the density of ionic crosslinks or led to a looser network in gels. Most recently, the same group found that stress relaxation of alginate hydrogel was simply and precisely modulated by changing the molecular weight and concentration of PEG.⁷⁴ Increasing PEG concentration and molecular weight led to faster stress relaxation, higher loss modulus and increased creep. In order to simulate the fibrillar architecture of natural ECM, an interpenetrating network of click-functionalised alginate and fibrillar collagen type I was fabricated as a viscoelastic artificial ECM.⁷⁵ Timing sequential ionic and covalent crosslinking allowed collagen type I to self-assemble into fibrous structures within the network. The stiffness and viscoelasticity was tuned by changing the mode and magnitude of crosslinking, without changing the micro-scale architecture of the hydrogels. The above viscoelastic alginate hydrogels were mostly ionically cross-linked, mainly using physical approaches to regulate viscoelasticity. Besides the ionic interaction, other physically cross-linked hydrogels have also been explored to form viscoelastic hydrogels including hydrogen bonding and guest-host interaction.

In addition, dynamically-reversible cross-links in hydrogels can undergo rapid breakage and re-formation when subjected to stress. The viscoelasticity of hydrogels can be adjusted by varying the density of dynamic chemical cross-linkers or adjusting the exchange rate of reversible cross-linkers. Imine and hydrazone bonds are reversible bonds which have been successfully used to fabricate many viscoelastic hydrogels, including hyaluronic acid, PEG, and alginate. For example, McKinnon et al.⁸³ developed PEG-based viscoelastic hydrogels based on reversible hydrazone bonds with two different affinities. The stress relaxation rate ($\tau_{1/2}$) was tuned in the range of ~5–33,600 seconds, by changing the arm number of PEG or the ratio of aliphatic aldehyde to benzaldehyde crosslinkers. Further, the same group prepared 8-arm PEG viscoelastic hydrogels with stress relaxation times in the range of three orders of magnitude to check the effect on chondrocyte functions for cartilage tissue engineering. Recently, Sánchez-Morán et al.⁸² fabricated novel alginate hydrogels with

tuneable stress relaxation based on reversible oxime bonds. They first prepared alkoxy-amine functionalized alginate, and then mixed this with aldehyde-containing alginate to form oxime cross-linked hydrogels. The stress relaxation and mechanical properties were adjusted by changing the concentration, mixing ratios, degree of oxidation of aldehyde-containing oxidized alginate or environmental factors (e.g. pH, temperature, and use of catalyst). Most interestingly, this study provided novel methods of preparing viscoelastic hydrogels in microbeads or microthread geometries.⁸² There are also other reversible covalent crosslinking methods, e.g. thioester, boronate ester, or Diels-Alder reaction, which can be used to fabricate dynamic hydrogels. For example, Brown et al.⁸⁴ presented a viscoelastic hydrogel based on thioester exchange. The $\tau_{1/2}$ was tuneable across several orders of magnitude by controlling gel stoichiometry, pH, and crosslinker structure.

Although many strategies have been developed to tune the viscoelasticity of hydrogels as mentioned above, there is still a huge demand to create biomaterials with tuneable viscoelasticity to mimic the features of native tissues. Recently, in order to simulate the dynamic and heterogeneous nature of tissues, Hui et al.⁸⁰ developed a spatiotemporal controllable viscoelastic hydrogel based on phototunable hyaluronic acid, which showed great promise in simulating the range of viscoelasticities representing healthy and diseased cellular environments.

Effects of matrix viscoelasticity on cell behaviours

Cell adhesion

Recent studies showed that cell adhesion can be influenced by the viscoelasticity of the substrate as well its elasticity. For example, when U2OS cells were cultured on stress-relaxed alginate hydrogels, greater cellular FA formation was observed compared with that on purely elastic substrates, as indicated by the punctate localization of paxillin.⁷² Subsequently, the same group studied cell adhesion of MSCs in RGD-coupled alginate hydrogels with various rates of stress relaxation. They found that localization of integrin- β 1 was increased at the periphery of the cell in faster relaxation gels.⁷³ However, at any level of stress relaxation, there was no localisation of paxillin to the periphery of the cells, indicating that no conventional FAs were formed in this 3D viscoelastic hydrogel. In another study, the same group developed a novel viscoelastic matrix composed of hyaluronic acid and collagen type I,⁸¹ and found that FAs were promoted with higher expression of integrin and paxillin, while they were minimally-expressed and diffuse in the corresponding elastic substrate, due to the synergistic effect of viscoelasticity and fibrillar architecture. However, there have been some contradictory findings in other viscoelastic systems. In 2019, an alginate-PEG hydrogel with tuneable stress relaxation was developed for 3D culture of MSCs.⁷⁴ It was found that localisation of integrin- β 1 increased with faster relaxation, exhibiting higher levels of phosphorylated FA kinase (FAK) and paxillin. On polyacrylamide-based hydrogels with similar initial storage moduli and various loss moduli, paxillin clusters were much smaller on viscoelastic gels than on elastic gels, suggesting that energy dissipation of the substrate inhibits formation of FAs.⁷⁰

Cell spreading

When a cell attaches to a substrate, it receives signals via integrins, after which actin polymerises to cause movement and extension of the cell membrane, while myosin contraction and membrane tension forces the cell to maintain tensional homeostasis, determining the cell spread area. A number of efforts have been devoted to investigating the effect of viscoelasticity on cell spreading in both two-dimensional (2D) and 3D culture. On 2D viscoelastic substrates, cell spreading was increased compared with elastic substrates, e.g. MSCs on collagen type I-coated polyacrylamide hydrogels, or U2OS cells⁷² and myoblasts⁸³ on Arg-Gly-Asp (RGD)-modified alginate hydrogels. Conversely, when NIH-3T3 fibroblasts were cultured on boronate ester-based viscoelastic hydrogels, in all of the cell area and nuclear area, FA was lower than that on elastic hydrogels with the same storage modulus. In addition, with the change of stress relaxation time, the morphology of the cells will also change. Mostly, cells spread better and develop a less-rounded shape on a fast stress relaxing substrate than on a slow stress relaxed substrate. For example, on an RGD-modified viscoelastic alginate hydrogel, fibroblasts and BMSCs showed greater cell expansion when $\tau_{1/2}$ was reduced from 1 hour to 1 minute.⁷³ In 3D viscoelastic substrates, a similar phenomenon was observed. For example, in an RGD-coupled alginate-PEG hydrogel, the spreading of 3T3 fibroblasts was inhibited and cells with a spherical morphology were observed in slow stress relaxed gels, while cells spread more in the fast stress relaxing gels.⁷³

Cell proliferation

The proliferation of various resident cells in a viscoelastic microenvironment was also found to be enhanced and regulated. Several studies demonstrated that hydrogel viscoelasticity has an obvious effect in promoting spreading and proliferation of fibroblasts in 2D or 3D culture.^{73, 88, 89} Similarly, when hMSCs were cultured on polyacrylamide-based viscoelastic hydrogels, the proliferation rate of hMSCs was significantly promoted by faster stress relaxation times.⁶⁴ On an oxime cross-linked alginate hydrogel,⁸² 2PK3 cells showed the same trend, with cells growing better in hydrogels with fast stress relaxation. All results indicate that stress relaxation time-dependent regulation may have beneficial effects on proliferation.

Cell migration

There is evidence that substrate stiffness guides cell migration, as does substrate viscoelasticity. Some studies have shown that mechanical cues from a viscoelastic matrix provide the orientation for migration. For instance, epithelial monolayer cells showed a special coalescence on a viscoelastic substrate, which was not observed on elastic materials.⁹⁰ Sarcoma cells showed a faster migration speed in a collagen-based hypoxic hydrogel with faster stress relaxation than that in a gel with lower stress relaxation.⁸⁹ Although it has been reported that cell migration can be regulated by the viscoelasticity of 2D or 3D substrates, the mechanism of this process needs to be further elucidated.

Cell differentiation

Stem cells have similar reactions to viscoelasticity in terms of cell spreading, proliferation, and migration. However, stem cells are unique in development and differentiation. Viscoelasticity has gained researchers' attention recently for its role in directing stem-cell fate,^{14, 91} as well as elasticity emphasized in cell differentiation.

When hMSCs were cultured on a polyacrylamide gel system with varying loss modulus, the multilineage differentiation of hMSCs was enhanced in specific inductive media on high-loss modulus substrates. These results highlighted that substrate loss modulus was a significant mechanical parameter to be tailored for biomaterials in tissue engineering.⁷⁰ Ionically-crosslinked alginate hydrogels are a typical viscoelastic hydrogel. A previous study found that MSCs undergo major adipogenic differentiation when the initial modulus is 1–10 kPa, and osteogenic differentiation when the initial modulus is 11–30 kPa. Chaudhuri et al.⁷³ developed viscoelastic alginate hydrogels with various stress relaxation properties and initial elastic moduli, to study the differentiation of encapsulated MSCs. They found that MSCs exhibited primarily adipogenic differentiation at all timescales of stress relaxation when the initial elastic modulus was ~9 kPa, while the level of adipogenesis was decreased in rapidly-relaxing gels. In contrast, no adipogenic differentiation was observed when the initial elastic modulus was ~17 kPa, and osteogenic differentiation was significantly enhanced in faster stress relaxing gels. In addition, an interconnected bone-like matrix was formed in rapidly-relaxing gels with relaxation time at ~1 minute, indicating that faster stress relaxation promoted both osteogenesis and bone-forming activity. A subsequent study confirmed that faster relaxation also led to enhanced osteogenic differentiation of MSCs on PEG covalently-grafted alginate-PEG hydrogels.⁷⁴

In summary, viscoelasticity of substrates has proven to be an important mechanical parameter in the regulation of stem cell behaviour. However, the library of viscoelastic hydrogels and the types of stem cells in the study were limited. Much more research should be undertaken to thoroughly understand the underlying mechanisms and rules of viscoelasticity on stem cell behaviour to facilitate the design of biomaterials for better tissue regeneration.

Implications in tissue regeneration

The viscoelastic properties of the ECM have been elucidated as a regulator of cell behaviours such as FA formation, cell spreading, proliferation, migration, and differentiation. Recently, there are some studies which showed the biological impacts of viscoelasticity *in vivo*. For example, Ghosh et al.⁹² prepared an ionically-crosslinked chitosan hydrogel with viscoelasticity to repair osteochondral defects in rabbits. They found that strain-reversible gels supported early cartilage-specific matrix formation and woven bone deposition. In a following study, the same group introduced stable covalent bonds into the gels to improve mechanical stability *in vivo*, and found that dual cross-linked chitosan hydrogels exhibited more collagen and mineral deposition compared to single ionically-crosslinked gels.⁹³ The $\tau_{1/2}$ of a substrate has been

proven to regulate many cell behaviours including stem cell differentiation *in vitro*. Mooney's group addressed the hypothesis that substrate stress relaxation time could affect bone regeneration *in vivo*. They prepared alginate gels with various stress-relaxation times, which they then implanted into rat calvarial defects together with hMSCs.⁹⁴ After 3 months of implantation, the rats that received fast-relaxing hydrogels ($\tau_{1/2} \approx 50$ seconds) showed much more growth of new bone compared with the rats that received slow-relaxing, stiffness-matched hydrogels. Strikingly, fast-relaxing hydrogel without encapsulated MSCs also promoted new bone formation, which was only slightly less than that induced by fast-relaxing hydrogels with MSCs (Figure 5). These results suggested that the viscoelasticity of biomaterials was an effective regulator of tissue regeneration *in vivo*, just like chemical and biological cues. Tissue engineering provides a promising solution for repair or regeneration of cartilage defects. To improve regenerative outcomes, matrices have been designed to incorporate viscoelastic features, making them much more similar to the mechanical features of native cartilage. To give one example, Lee et al.⁸⁷ tested the impact of hydrogel stress relaxation rates on chondrocytes in 3D culture for cartilage tissue engineering. They found that faster relaxation promoted a significant increase in volume of interconnected cartilage matrix, while slower relaxation resulted in increased interleukin-1 β secretion. In a recent study, Richardson et al.⁹⁵ developed hydrazone crosslinked PEG hydrogels with tuneable viscoelastic properties for cartilage tissue engineering. They found that after 4 weeks of encapsulation, chondrocytes had more interconnected articular cartilage-specific matrix

in stress-relaxation hydrogels. Collagen and sulphated glycosaminoglycans were deposited most in the adaptable hydrogel (22% benzyl-hydrazone hydrogel). Most recently, Li et al.⁹⁶ used double network (DN) hydrogels based on gellan gum and polyethylene glycol acrylate (GG/PEGDA/DN) with stress-relaxing behaviour to study the effect on chondrogenic differentiation of BMSCs in a subcutaneous implant model. The results indicated that GG/PEGDA/DN provided a good physical environment for cell proliferation and spreading, and induced BMSCs to differentiate into the chondrogenic lineage, as demonstrated by a much greater level of collagen type II and transforming growth factor- β 1. All these results show that stress relaxation of a substrate can mediate scaffold remodelling and tissue formation, which provides a new parameter to optimize tissue regeneration.

Comparison of Cellular Modulation Mediated by Elasticity and Viscoelasticity

In order to clearly understand the effect of elastic and viscoelastic materials on cells, it may be necessary to make a direct comparison between the two types of materials. Chaudhuri et al.⁷² compared the effect of viscoelasticity and linear elasticity on U2OS cell spreading at various initial elastic moduli (1.4, 3.4 and 9 kPa) with ionically-crosslinked and covalently-crosslinked alginate hydrogels. At lower moduli (1.4 kPa), greater cell spreading was observed on viscoelastic substrates compared to the purely elastic substrates, and the effect was enhanced with increasing ligand density. Further investigation revealed that the effect of viscoelastic substrates at low initial elastic moduli on cell spreading was mediated




Figure 5. Substrate stress-relaxation regulates scaffold remodelling and bone formation *in vivo*. (A) Young's modulus and stress relaxation of slow- and fast-relaxing alginate hydrogels. (B) Representative micro-computed tomography renderings of rat calvaria 3 months post-injury. (C) Masson's trichrome staining of the defect site in fast-relaxing and slow-relaxing gel conditions. Scale bars: 1 cm in B and 2 mm in C. Data are expressed as mean $\pm$ SD ($n = 8-10$) and were analysed by Student's t-test. $\tau_{1/2}$: stress relaxation rate. Reproduced with the permission of Darnell et al.⁹⁴ Copyright Wiley-VCH Verlag GmbH & Co. KGaA.

by integrin- β 1, actin aggregation, actomyosin contraction and increased nuclear localization with yes-associated protein (YAP). In a similar way, Bauer et al.⁸⁹ used alginate hydrogels to explore the effect of viscoelasticity on the spreading and proliferation of mouse myoblasts at various initial elastic moduli relative to linear elasticity. At lower initial elastic moduli (2.8 and 12.2 kPa), cell spreading on the viscoelastic substrates was greater than that on purely elastic substrates, while the opposite result was observed at higher initial elastic moduli (49.5 kPa). Compared with elastic substrates, myoblasts on viscoelastic substrates were more elongated, and this effect was enhanced as the modulus increased. Moreover, cell proliferation on viscoelastic substrates was greater than on purely elastic substrates. In addition to the initial elastic modulus, the influence of viscoelasticity and elasticity on cell spreading may also be influenced by the different cell types. Mandal et al.⁹⁷ found that the spreading area and actin bundle assembly of primary human hepatocytes and fibroblasts were reduced on viscoelastic substrates compared to purely elastic substrates with the same stiffness. However, Huh7 cells spread faster on viscoelastic substrates than on substrates with linear elasticity. Polyacrylamide hydrogels have been widely used to study the effect of substrate elasticity on cells due to their easy availability and formulation stability. More recently, Charrier et al.⁷¹ prepared purely elastic and viscoelastic hydrogels by using a mixture of polyacrylamide and linear polyacrylamide, and studied their effects on cell behaviour. They found that the cell area on the viscoelastic hydrogel was smaller than that on the purely elastic hydrogel at the same storage modulus. Hydrogels with the same elasticity and storage moduli but coated with either collagen or fibronectin showed different cell spreading, suggesting that ligands also varied the effect of the viscoelasticity on cells. Moreover, viscoelastic hydrogels resulted in a reduced differentiation ratio of rat hepatic stellate cells to myofibroblasts compared with purely elastic hydrogels. Interestingly, recovery experiments confirmed that viscoelasticity also promoted the dedifferentiation of established myofibroblasts. PDMS has often been regarded as another common elastic material for studying cell behaviour.¹⁸ However, it was found that many formulations of PDMS are viscoelastic at the nano (cell) scale, which may be due to the use of different mechanical characterisation methods.⁹⁸ This apparent mismatch might lead to different cellular responses to the mechanical properties of the substrate to those expected.^{99,100} Therefore, when using PDMS to study the effects of mechanical cues on cell behaviour, it is necessary to take into account the differences in the mechanical properties of materials at the macroscopic and nano scale. Recently, the work of Sadtler et al.¹⁰¹ may provide new insights into the regulation of viscoelasticity and elasticity on cell fate. Compared with viscoelastic natural ECM, purely elastic synthetic matrix recruits more neutrophils leading to inflammation rather than promoting regenerative immune cell responses. To date, there have been few studies on the direct comparison between purely elastic and viscoelastic materials. More exploration in this field is necessary in the future so as to more clearly explain the regulation of these two mechanical cues on cell behaviours.

Cellular Modulation by Other Mechanical Cues

Effects of matrix topography on cell behaviours

A growing number of studies have shown that cell fate can be directed by the stiffness or viscoelasticity of the ECM. However, the ECM of various natural tissues such as bone, nerves, skin, kidney, or AF, has distinct topography at nano- or micro-scales.^{10, 102-105} Topographic factors including size, shape, and geometric arrangement, also considered to be an important biophysical cue, have substantial influence on cell behaviours.

Among these factors, size appears to play a critical role in modulating cell behaviours. For example, Nguyen et al.¹⁰⁵ provided a comprehensive survey on the significance of its effect on cell adhesion, cell morphology and alignment, and neurite guidance. At both the nano- and micro-scale, cell behaviours can be significantly influenced by the size of topographical features. At the same time, the response of cells is diverse and strongly dependent on the type of cells. Cell behaviours often occur at both the nano- and micro-scales in biological interfaces and natural tissues, so an ideal artificial ECM should be biomimetic to match both size-scales and thus achieve a superior effect. For instance, ECs exhibited enhanced elongation when cultured on oriented nanofibrous scaffolds with different micro-grooved topographies.¹⁰³ Recently, a 3D biomimetic nano-micro fibrous woven fabric/hydrogel composite scaffold was developed for heart valve engineering.¹⁰⁶ The developers found that the native-like anisotropic features offered appropriate microenvironmental cues for cell proliferation and ECM deposition, representing a promising strategy to treat heart valve injury.

Alignment, one of the geometric arrangements, also exerts a great effect on cell behaviours. For cell adhesion, it was found that FAK phosphorylation was significantly increased in MSCs on aligned nanofibres compared with random nanofibres.¹⁰⁵ For cell spreading, it was found that the cytoskeleton of human umbilical vein ECs on aligned fibres was stretched along the longitudinal direction of the fibre, while it extended in all directions on non-aligned fibres.¹⁰⁷ Interestingly, cell alignment showed a more significant effect on micro-aligned scaffolds than on nano-aligned scaffolds.¹⁰⁶ For cell migration, compared with random fibres, human adipose-derived stem cells cultured on aligned nanofibres exhibited a faster migration rate and higher synthetic ability of critical ECM molecules, such as collagen type I, tropoelastin, and matrix metalloproteinase-1.¹⁰⁸ The effect of the alignment of electrospun polycaprolactone-gelatine ultrafine fibres on cell migration was also studied, and showed that the cell migration rate was faster in the direction of aligned fibres compared with non-aligned fibres.¹⁰⁹ In addition, alignment affected cell proliferation and differentiation and was cell-type dependent. For example, aligned scaffold enhanced cell proliferation of keratocytes, while randomly-oriented scaffold enhanced the proliferation of corneal epithelial cells.¹¹⁰ The osteogenic differentiation of MSCs could also be modulated by fibre alignment. Alkaline phosphatase and calcium nodules were evenly distributed along the direction of aligned fibres, while

gene expression of osteocalcin and osteopontin was significantly enhanced, indicating that aligned fibres were superior to non-aligned fibres in inducing osteogenic differentiation.¹⁰⁷

Many remarkable articles have discussed cellular responses to substrate topography.^{105, 111, 112} In recent years, cell behaviour cross-talk between substrate topography and stiffness has attracted great attention.¹⁰ For example, in vascular tissue engineering, MSCs cultured on a micro-grooved, stiff substrate exhibited maximum cell stiffness and smooth muscle-related gene expression of α -actin and h1-calponin while MSCs showed minimum values on a smooth, soft substrate.¹¹⁰ Our group studied the effect of substrate stiffness and topography on the differentiation of AF-derived stem cells, and found that they both regulated the differentiation of AFSCs through a YAP-dependent mechano-transduction mechanism.¹⁰² Recently, Hou et al.¹¹³ developed large-scale surface roughness gradient hydrogels by soft lithography technology, integrating a broad range of surface roughnesses (200 nm to 1.2 μ m for root-mean-squared surface roughness) with tuneable stiffness. They found that MSCs responded to surface roughness in a stiffness-dependent manner by reorganizing the surface hierarchy.¹¹³ Interestingly, on the soft hydrogel (3.8 kPa) with high surface roughness, both the cellular mechano-response and osteogenesis increased significantly, better than that on the stiff substrates with smooth surfaces.

In summary, topography of a substrate, as a physical cue, shows great ability to modulate cell behaviour, and further, the combination of different topographical factors or other physical cues such as stiffness can achieve synergetic effects on cell fate. These findings provide guidance for the design of artificial ECM for use in tissue engineering and regenerative medicine.

Effects of fibre stiffness on cell behaviours

In native tissues, structural ECM proteins such as fibrillar collagens always range in diameter from 50 to 500 nm. To mimic the ECM structures, fibres have become the most commonly used scaffolds in tissue engineering. Fibres not only provide biological cues for embedded cells, but also serve as a source of nonlinear elasticity within the scaffold, with a unique ability to affect cell-cell communication and arrangement, as well as the degree of cell contraction. As mentioned above, substrate stiffness shows a great effect on various cell behaviours, so it is also very important to test the effect of the stiffness of fibres on cell behaviours. Recently, many studies have shown that the stiffness of fibrous scaffolds can affect cell morphology and signalling, and thus affect cell behaviour, including cell proliferation, adhesion, and migration.

Aligned ultrafine fibres have shown great potential in the construction of vascular grafts, simulating the anisotropic features of natural blood vessels. To investigate how the stiffness of aligned fibres influences the functionality of vascular cells, Yi et al.²⁹ generated highly-aligned ultrafine fibres of poly(L-lactide-co-caprolactone)/poly(L-lactic acid) with a stiffness range from 0.09 to 13.18 N/mm. They found that increased stiffness did not exert a significant effect on cell morphology or orientation, but inhibited cell adhesion,

promoted cell migration and proliferation, and enhanced the assembly of F-actin fibres in human umbilical artery smooth muscle cells. Moreover, higher fibre stiffness significantly down-regulated contraction markers, and up-regulated gene expression of osteopontin and inflammatory genes, which indicated that higher fibre stiffness led to proliferative and pathological states of human umbilical artery smooth muscle cells.

Numerous studies have indicated that increased surface nano-roughness or stiffness of electrospun fibrous scaffolds is conducive for an osteogenic response. Recently, Jahanmard et al.¹¹⁴ incorporated multiwall carbon nanotubes into electrospun polycaprolactone nanofibres to adjust surface nanoroughness and stiffness independently. They found that osteoblast differentiation was improved by both these crucial parameters, yet through different mechanisms.¹¹⁴ All of these studies help us to understand the mechanical and biological responses of bone progenitor cells, and ultimately guide us to design better scaffolds for bone tissue engineering.

Fibrous scaffolds are also commonly being explored to restore the function and organization of dense connective tissues such as tendon, knee meniscus, and cartilage.^{115, 116} However, the lower porosity of electrospun fibres results in poor cell invasion, hindering cell migration into scaffolds. To test the impact of stiffness of electrospun fibres on cell invasion into a fibrous scaffold, Song et al.¹¹⁷ fabricated stiff and soft electrospun fibrous networks using crosslinked methacrylated hyaluronic acid. Enhanced meniscal fibrochondrocyte invasion and greater collagen deposition were observed on stiffer fibrous networks when compared with softer fibrous networks because of their easy deformation and increase in density under the influence of cell traction. All these results demonstrated that the stiffness of fibrous scaffolds is a key parameter in the design of scaffolds for tissue regeneration.

In addition, the stiffness of fibrous scaffolds also plays an important role in disease development processes or tissue repair processes. For example, our group recently reported that fibre stiffness of polyurethanes and fibre diameters showed a synergistic effect on the differentiation of AFSCs. AFSCs had a strong tendency to differentiate into various regional AF-like cells when cultured on a scaffold with physical cues similar to native AF tissue.¹⁰² Davidson et al.¹¹⁸ seeded hepatic stellate cells onto soft or stiff fibrous hyaluronic acid hydrogels, and found that cell spreading, α -smooth muscle actin expression, and formation of multicellular clusters decreased on stiff fibres compared with those on soft fibres, indicating the important influence of fibre stiffness on cell-material interactions and implying its relevance to disease and tissue repair processes.

External mechanical stimulation on cell behaviours

Accumulating evidence suggests that external mechanical stimulation regulates cellular processes and strongly influences cell fate.¹¹⁹ Stretching, compression, hydrostatic pressure and fluid shear force can affect cell self-renewal, differentiation, senescence and apoptosis, and play an important role in physiological and pathological processes.¹¹ Indeed, cells in living tissues are constantly exposed to various chemical and

physical signals, and then integrate these signals to guide cell differentiation specifics, support morphogenetic processes and define tissue architecture during embryonic development.¹²⁰ Intracardiac fluid forces change cytoskeletal structure and gene expression profiles of cardiac ECs to promote the morphogenesis of cardiac tissues.¹²¹ Tensile forces, generated by the stretching of bronchial epithelium during intrauterine respiration, support the development of pulmonary smooth muscle.¹²² Long-bone morphogenesis is dependent on both local morphogen gradients and mechanical forces which guide cell assembly and promote growth to higher-order structures.¹²³

In addition to guiding embryonic development, external mechanical stimulation plays a central role in the growth, differentiation and regeneration of cells or tissues. Vigorous exercise and muscular activity can enhance bone mass and bone strength. Conversely, it leads to the phenomenon of bone loss in the absence of mechanical loading, such as long-term bed rest or spaceflight.¹²⁴ Moreover, only under mechanical conditions, i.e., cyclic compression at the fracture site, the process of bone fracture healing can be replicated.¹²⁵ Hence, mechanical loading is necessary for the homeostasis, repair and remodelling of native bone tissue. Moreover, in the cardiovascular system, mechanical forces induced by physiological blood flow cause the cytoskeleton proteins of ECs to align with the blood flow direction to effectively reduce blood-flow resistance.¹²⁶ The mucosal cells in the gastrointestinal tract are subjected to pressure and shear stress when they interact with relatively incompressible endoluminal chyme to maintain their functions.¹²⁷ Many studies have demonstrated that cyclic tensile strain of a low magnitude and low frequency has an anti-inflammatory effect, increasing anabolic gene expression and matrix synthesis in various cell types, including chondrocytes,¹²⁸ AF cells¹²⁹ and fibroblasts.¹³⁰

In contrast to moderate mechanical loading, excessive or aberrant mechanical loading has a negative regulatory effect on cell responses. As is well known, mechanical overload is one of the major factors leading to intervertebral disc degeneration,

which accounts for low back pain and physical disability.¹³¹ Disordered mechanical loading directly affects intervertebral disc cell behaviours. Pratsinis et al.¹³² found that mechanical overload induced the imbalance of anabolism and catabolism, and caused inflammation of AF cells. Using a rat tail disc degeneration model, Yurube et al.¹³³ showed that prolonged static compression resulted in significant cell loss of nucleus pulposus and increased the expression of apoptosis markers. Articular cartilage degeneration in osteoarthritis has also been attributed to excessive mechanical loading.¹³⁴ Previous studies have reported that excessive mechanical stimulation increases the expression of pro-inflammatory cytokines and matrix metalloproteinases in chondrocytes, which are related to the inflammatory response and matrix degradation.^{135, 136} In addition, homeostatic disturbance caused by abnormal shear forces can change the phenotype of ECs from anti-thrombotic to pro-thrombotic, and thus promote platelet adhesion.¹³⁷ Chatterjee et al.¹³⁸ reported that pathological shear stress in ECs reduces nitric oxide production and increases low density lipoprotein oxidation and apoptosis, ultimately resulting in vascular inflammation.

Molecular Basis

A comprehensive understanding of the cellular response to ECM properties is critical for developing suitable biomaterials to mimic natural tissues and increase seeded cell growth. How substrate mechanical signals are translated into intracellular bio-signals needs to be thoroughly elucidated. Cells perceive the mechanical environment through cell-cell adhesion and cell-ECM interactions, mechanosensitive ion channels and their primary cilia.¹⁴ Several mechanotransduction pathways have been proven to transduce mechanical cues into biochemical signals including FAK activated by integrins, Rho/RHO-related protein kinase 1 (ROCK) and mitogen-activated protein kinase (MAPK) as mechanoresponsive signalling, and downstream mechanotransduction signalling such as YAP/PDZ-binding motif (TAZ) (**Figure 6**), as summarized in Hynes's review.¹³⁹




Figure 6. YAP/TAZ mediated pathway through mechano-transduction. A cell probes its ECM mechanical environment via membrane receptors (e.g. integrins) to transmit force which regulates the stability of focal adhesion complexes containing focal adhesion kinase (FAK). FAK phosphorylates and activates mechanoresponsive signalling elements, such as mitogen-activated protein kinase (MAPK) and transforming protein Ras homolog gene family member A (RHOA). Simultaneously, the intracellular force regulates the nuclear translocation of transcription regulator such as yes-associated protein (YAP)/transcriptional co-activator with PDZ-binding motif (TAZ).

The transmembrane receptor integrin, which clusters the assembly of adaptor molecules, acts as a link between the ECM and the cytoskeleton.¹³⁹ When linking to ECM ligands, integrin simultaneously initiates the assembly of FAK, vinculin, paxillin, tensin, and talin to form FAs. After FA assembly, many signalling pathways will be activated to regulate cell fate.^{140, 141} Changes of FA composition, size and strength often result in actin contractility and trigger activation of signal molecules which subsequently initiate cell behaviours. For instance, Liu et al.¹⁴² found that increased matrix elasticity enhanced FAK activity to modulate the phosphorylation of the down-stream molecule extracellular signal-regulated kinase 1/2, promoting tenogenic differentiation of tendon-derived stem cells. FAK then phosphorylates and activates mechanically-responsive signal elements such as MAPK and transforming protein RHOA (Ras homolog gene family member A). MAPK conveys information from the ECM into the nucleus and plays a unique role in cell fate.¹⁴³ Recent evidence indicated that MAPK activity depended on ECM elasticity.¹⁴⁴ With respect to RHOA, it can regulate mechanical feedback by activating ROCK. The RHO/ROCK-mediated signalling pathway appears to play a critical role in cell-ECM mechanotransduction, which is also influenced by matrix elasticity.¹⁴⁵ A simultaneous study showed that changes in matrix elasticity altered the RHO/ROCK pathway upstream of changes in the MAPK cascade.¹⁴⁶ Collectively, these results suggest that activation of the FAK/RHO/ROCK/MAPK signalling pathway via changes of ECM elasticity may play a critical role in cell behaviour. Other than this classical signalling pathway, a variety of novel mechanosensitive proteins are involved in cellular responses to matrix elasticity, including YAP, piezo, and caveolin-1. YAP activity is sustained by the actin cytoskeleton and this pathway is relevant not only to enabling the cellular response to ECM elasticity,¹⁴⁷ but also in mediating cellular responses to external stimuli.¹⁴⁸ Caveolin-1 is a structural protein of caveolae which is involved in the activation of integrin during extracellular mechanotransduction. In one study, ECM elasticity affected integrin activity and trafficking to regulate the endocytosis of caveolin-1, which, in turn, influenced cell fate and function.¹⁴⁹ Piezo ion channels, which fall into two main categories: piezo1 and piezo2, can be detected in many mechanosensitive tissues.¹⁵⁰ Piezo channels are known to sense matrix elasticity and directly lead to the increase of intracellular Ca^{2+} . Then the Ca^{2+} induces YAP nuclear translocation and transfers extracellular mechanical stimuli into the nucleus.¹⁵¹ Together, these studies demonstrated that cells reorganize their actin cytoskeleton via activation of integrin, FAs and other relevant mechanosensitive molecules to respond to ECM elasticity.

The methods used to explore the molecular mechanism of how cells sense ECM viscoelasticity are similar to those used in studying how cells sense ECM elasticity. RHO family GTPases are significant regulators of the actin cytoskeleton and of mechanotransduction. It has been found that RHO-mediated contractility and independent actomyosin contractility regulates osteogenic differentiation.^{68, 152} Increased Rac1 activity was also reported to enhance smooth muscle cell differentiation.¹⁵³ YAP/TAZ has been considered as key mediators in cell responses to substrate stiffness, such as that in

viscoelastic regulation of cell behaviours. For example, stress relaxation of a substrate has been found to lead to increased nuclear translocation of YAP, resulting in increased U2OS cell proliferation.⁷⁴ Further, the cell spreading, proliferation, and osteogenic differentiation of MSCs was enhanced on gels with faster stress relaxation, which was proven to be mediated through integrin-based adhesion, actomyosin contractility, and nuclear localization of YAP.⁶⁸ However, some studies presented different phenomena. On viscoelastic boronate ester hydrogels, the nuclear-to-cytosolic ratio of YAP/TAZ was obviously decreased in NIH-3T3 cells.⁷⁵ The difference may be due to the difference of viscoelastic gel systems. The former undergoes plastic deformation while the latter exhibits elastic recovery of creep strain and its original shape is restored after elimination of shear stress. In addition, when MSCs were encapsulated in a 3D relaxing boronate-based hydrogel,⁸³ the subcellular localization of YAP/TAZ was different from that on 2D relaxing boronate-based hydrogels. On day 1, YAP/TAZ was mainly located in the cytoplasm, and the ratio of nuclear to cytosolic intensity on YAP/TAZ increased significantly on day 7, consistent with the enhanced cell volume and nuclear volume.

Other mechanical cues, including matrix topography, fibre stiffness, and external mechanical stimulation, also affect the gene expression and fate of cells through the above signalling pathways and their interplays. For example, with the increase of FAK phosphorylation, the neuronal differentiation of hMSCs was promoted on equally-spaced nanogratings with widths of 250¹⁴⁵ to 500 nm,¹⁵⁴ suggesting that FAK phosphorylation is a signal transducer between integrins and the cytoskeleton, transmitting nanotopographical stimuli to the nucleus through intracellular contraction.¹⁴⁵ On native-like substrate topography, YAP was identified as a required signalling factor which influenced cell proliferation and migration.¹⁵⁵ Meanwhile in regulation of cell behaviour by external mechanical stimulation, diverse molecular mechanisms were synergistically involved in this complex and precise process. YAP activated by cyclic stretching promotes cell spread and growth,¹⁵⁶ while disturbed flow leads to YAP activation which mediates atherogenesis.¹⁵⁷ In human neural stem cells, the stretch-activated ion channel piezo1 guides lineage selection.¹⁵⁸

Multimodal Mechanical Regulation of Cell Behaviours

The natural environment of cells is complex, and it is unrealistic to completely imitate the mechanical properties of a cell's natural environment. Therefore, in past years, many studies have explored the effects of a single mechanical cue on cell behaviours. However, any given single mechanical regulation is not enough to induce stem cell differentiation and complete tissue regeneration. Researchers began to try combining multimodal mechanical cues to regulate cellular behaviours, including elasticity, viscoelasticity, topography and external stimuli.

The effects of topography and viscoelasticity on the fate of human adipose-derived stem cells were studied by combining nanostructures with viscoelastic elements. The results showed

that in multi-layer modified nanostructures, the differentiation of human adipose-derived stem cells towards chondrogenesis and osteogenesis was better than that towards adipogenesis.¹⁵⁹ By analysing the cell arrangement and neural differentiation of human umbilical cord mesenchymal stem cells and the growth of nerve processes *in vitro* and *in vivo*, the effects of elasticity and aligned topography as combined mechanical cues on cell behaviours were studied.¹⁶⁰ After 2 weeks of culture in medium lacking a soluble neurogenic inducer, low elasticity and arranged topography of a layered fibrin hydrogel showed a synergistic effect in promoting the differentiation of human umbilical cord mesenchymal stem cells into nerve cells when compared with random fibrin hydrogel or a culture plate. In order to simulate the dynamic extracellular environment of bone marrow cells *in vivo*, a bone marrow stem cell substitute matrix based on a physically cross-linked hydrogel was designed. Elasticity was regulated dynamically by chemical stimulation. Under frequent mechanical stress, hMSCs on this hydrogel maintained the expression of Stro-1 (a potential marker of pluripotency of MSCs) for more than 20 days, regardless of the elasticity of the matrix.¹⁶¹ Stiffness and surface topography of the substrate are two key characteristics at the cell-substrate interface that affect cell behaviour as mentioned before.¹⁰ From all these studies, we can conclude that multi-mechanical factors play a synergistic role in guiding cell behaviour, or that some mechanical factors would play a leading role.

Interplay between Matrix Mechanical Cues and Other Environmental Factors

Mechanical cues such as matrix stiffness can promote cell arrangement, morphological change and phenotypic variation. The application of biochemical cues such as growth factors can regulate cells by activating certain signal transduction pathways and directing them to intracellular and/or extracellular remodelling. The application of mechanical and biochemical cues to control cell behaviour is common in tissue engineering and regenerative medicine. More and more studies have explored the comprehensive effects of biochemical cues and mechanical cues on cell behaviour.

For example, Tan et al.¹⁶² found that bone morphogenetic protein-2 significantly inhibits the growth of C2C12 myoblasts on softer substrates while promoting osteogenesis on harder substrates. Grinnell et al.¹⁶³ found that, in the presence of growth factors that stimulate the overall contraction of cells, cell diffusion will not occur unless adhesion ligand density and substrate stiffness cause the interaction between cell and substrate to be strong enough to resist and overcome the introverted traction force. Chen et al.¹⁶⁴ found that transforming growth factor- β 1 increased the stiffness and traction of chondrocytes and enhanced their response to stretching, while interleukin-1 β had the opposite effect. In addition, the effect of transforming growth factor- β 1 on chondrocyte mechanics was stronger on a 90 kPa matrix, while interleukin-1 β was stronger on a 1 kPa matrix. Chang et al.¹⁶⁵ found that the adhesion, migration and proliferation of ECs were positively correlated with matrix stiffness.

Hepatocyte growth factor had a synergistic effect, and the effect of hepatocyte growth factor on a low-stiffness matrix was more obvious.¹⁶⁴ Recently, a photoactivated hydrogel interface has been developed to study collective cell migration under standard conditions or under the influence of chemical and mechanical cues. The additive effect of chemical cues and mechanical cues on the inhibition of annular expansion by up-regulating epithelial topography was observed. In addition, the influence of geometric cues becomes more significant with the decrease of chemical cues.¹⁶⁶ Some studies confirmed the synergistic effect between surface chemistry and topography in guiding cell behaviours.^{167, 168} It was found that the effect of the same chemicals on the regulatory proteins was related to surface topography. At the same time, the decrease of cell spreading observed on the super-hydrophilic surface was proven to be related to the decreased expression of the mesenchymal proteins paxillin and vinculin. The synergism between amphoteric ions and nano-porous topography is sufficient to induce the expression of E-cadherin, indicating that a zwitterionic charge group is a powerful regulator of the cell signalling pathway.¹⁶⁹ RNA sequence analysis of hMSCs showed that the interaction between chemical treatment and topography was synergistic in all gene ontology functional groups. The analysis of differentially-expressed genes showed that surface topography had a greater effect on gene expression than surface chemistry.¹⁶⁷

Concluding Remarks and Future Perspectives

Over the past few years, great advances in mechanobiology have been achieved. Various mechanical cues from the ECM have been shown to profoundly influence cell behaviours, including proliferation, adhesion, migration, apoptosis, and differentiation. In this review, we introduced different mechanical cues from the ECM and their interplay effect on cell behaviours, including elasticity, viscoelasticity, topography, and external stimuli. However, the native environment of cells is more complicated. Single mechanical regulation is not enough to induce stem cell differentiation and achieve satisfactory tissue regeneration. In recent years, researchers have begun to combine different mechanical cues to regulate cell behaviours toward synergistic effects. However, most of them are just a combination of two factors, which is still far away from the realistic mechanical environment of cells. Therefore, how to mimic the complicated native mechanical environment experienced by cells remains challenging. Integrating multimodal mechanical cues from artificial ECM would help better understand the effects of a realistic mechanical environment on cell behaviours, which may lead to more effective tissue engineering. In addition, ECM remodelling in native tissues often changes the cells' mechanical environment. There is growing interest in simulating the dynamic stiffness changes *in vivo* to study the mechanobiology. In recent years, some hydrogels with dynamic stiffness have been developed for regulating various cellular behaviours, yet the number of such hydrogels is still limited. In particular, hydrogels with directional and reversible changes in mechanical properties are very rare. Further expanding the application in a wide range of mechanobiology studies using these hydrogels was interesting

and critical for the successful design of biomaterials for use in tissue regeneration. Viscoelasticity is another important mechanical property in living tissues and organs, which plays an important role in maintaining the physiological functions of organs, and especially in protecting tissues under persistent or irregular high stress. Several highlighted studies have found that hydrogels with stress relaxation or creep behaviours showed potent impacts on many cell behaviours. However, the role of time-dependent mechanics on cell biology should be further clearly studied and explored, which would advance our understanding of cell-matrix interactions to guide the successful design of biomaterials for tissue regeneration.

The design of biomaterials can benefit from our growing knowledge of tissue mechanobiology. Clearly understanding the interaction between cells with their complicated and dynamic mechanical environment will guide us to make biomimetic materials which can integrate and even induce tissue regeneration. Consequently, ideal biomaterials for tissue engineering should mimic the natural mechanical properties by multimodal regulation, to recapitulate the intrinsic diversity or dynamic nature of native tissue. Future studies in this field will eventually shorten the gap between basic research and clinical application in tissue regeneration.

Author contributions

supervision, and resources: BL and CZ; original draft preparation and visualisation: CZ; partial investigation and original draft: CZ, QW, SW, FH, HW, WZ, QY, CL, LD, JW, LY; manuscript review and editing: CZ and QW. All authors approved the final version of the manuscript.

Financial support

This work was supported by the National Natural Science Foundation of China (Nos. 81925027, 81871805, 31530024, 81672213), National Key R&D Program of China (No. 2016YFC1100203), Jiangsu Provincial Clinical Orthopaedic Centre, Key Laboratory of Stem Cells and Biomedical Materials of Jiangsu Province and Chinese Ministry of Science and Technology of China, and the Priority Academic Program Development (PAPD) of Jiangsu Higher Education Institutions of China.

Acknowledgement

None.

Conflicts of interest statement

The authors declare no competing financial interest.

Editor note: Bin Li is an Editorial Board member of *Biomaterials Translational*. He was blinded from reviewing or making decisions on the manuscript. The article was subject to the journal's standard procedures, with peer review handled independently of this Editorial Board member and his research group.

Open access statement

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

Additional files

Additional Table 1: Commonly-used biomaterials with various elasticities and their effects on cells.

Additional Table 2: Scaffolds with tuneable viscoelasticity through various crosslinkers and their effects on cells.

1. Wolff, J. Concept of the Law of Bone Remodelling. In *The Law of Bone Remodelling*, Wolff, J., ed. Springer Berlin Heidelberg: Berlin, Heidelberg. 1986; p 1.
2. Doyle, A. D.; Carvajal, N.; Jin, A.; Matsumoto, K.; Yamada, K. M. Local 3D matrix microenvironment regulates cell migration through spatiotemporal dynamics of contractility-dependent adhesions. *Nat Commun.* **2015**, *6*, 8720.
3. Hadden, W. J.; Young, J. L.; Holle, A. W.; McFetridge, M. L.; Kim, D. Y.; Wijesinghe, P.; Taylor-Weiner, H.; Wen, J. H.; Lee, A. R.; Bieback, K.; Vo, B. N.; Sampson, D. D.; Kennedy, B. F.; Spatz, J. P.; Engler, A. J.; Choi, Y. S. Stem cell migration and mechanotransduction on linear stiffness gradient hydrogels. *Proc Natl Acad Sci U S A.* **2017**, *114*, 5647-5652.
4. Mao, A. S.; Shin, J. W.; Mooney, D. J. Effects of substrate stiffness and cell-cell contact on mesenchymal stem cell differentiation. *Biomaterials.* **2016**, *98*, 184-191.
5. Nisenholz, N.; Rajendran, K.; Dang, Q.; Chen, H.; Kemkemer, R.; Krishnan, R.; Zemel, A. Active mechanics and dynamics of cell spreading on elastic substrates. *Soft Matter.* **2014**, *10*, 7234-7246.
6. Shin, J. W.; Mooney, D. J. Extracellular matrix stiffness causes systematic variations in proliferation and chemosensitivity in myeloid leukemias. *Proc Natl Acad Sci U S A.* **2016**, *113*, 12126-12131.
7. Bonnans, C.; Chou, J.; Werb, Z. Remodelling the extracellular matrix in development and disease. *Nat Rev Mol Cell Biol.* **2014**, *15*, 786-801.
8. Handorf, A. M.; Zhou, Y.; Halanski, M. A.; Li, W. J. Tissue stiffness dictates development, homeostasis, and disease progression. *Organogenesis.* **2015**, *11*, 1-15.
9. Chaudhuri, O. Viscoelastic hydrogels for 3D cell culture. *Biomater Sci.* **2017**, *5*, 1480-1490.
10. Yang, Y.; Wang, K.; Gu, X.; Leong, K. W. Biophysical regulation of cell behavior-cross talk between substrate stiffness and nanotopography. *Engineering (Beijing).* **2017**, *3*, 36-54.
11. Panciera, T.; Azzolin, L.; Cordenonsi, M.; Piccolo, S. Mechanobiology of YAP and TAZ in physiology and disease. *Nat Rev Mol Cell Biol.* **2017**, *18*, 758-770.
12. Chaudhuri, O.; Cooper-White, J.; Janmey, P. A.; Mooney, D. J.; Shenoy, V. B. Effects of extracellular matrix viscoelasticity on cellular behaviour. *Nature.* **2020**, *584*, 535-546.
13. Levental, I.; Georges, P. C.; Janmey, P. A. Soft biological materials and their impact on cell function. *Soft Matter.* **2007**, *3*, 299-306.
14. Vining, K. H.; Mooney, D. J. Mechanical forces direct stem cell behaviour in development and regeneration. *Nat Rev Mol Cell Biol.* **2017**, *18*, 728-742.
15. Sharabi, M.; Wertheimer, S.; Wade, K. R.; Galbusera, F.; Benayahu, D.; Wilke, H. J.; Haj-Ali, R. Towards intervertebral disc engineering: Biomimetics of form and function of the annulus fibrosus lamellae. *J Mech Behav Biomed Mater.* **2019**, *94*, 298-307.
16. Kleemann, R. U.; Krockner, D.; Cedrar, A.; Tuischer, J.; Duda, G. N. Altered cartilage mechanics and histology in knee osteoarthritis: relation to clinical assessment (ICRS Grade). *Osteoarthritis Cartilage.* **2005**, *13*, 958-963.
17. Zhang, X.; Cai, D.; Zhou, F.; Yu, J.; Wu, X.; Yu, D.; Zou, Y.; Hong, Y.; Yuan, C.; Chen, Y.; Pan, Z.; Bunpetch, V.; Sun, H.; An, C.; Yi-Chin, T.; Ouyang, H.; Zhang, S. Targeting downstream subcellular YAP activity as a function of matrix stiffness with Verteporfin-encapsulated chitosan microsphere attenuates osteoarthritis. *Biomaterials.* **2020**, *232*, 119724.
18. Han, F.; Zhu, C.; Guo, Q.; Yang, H.; Li, B. Cellular modulation by the elasticity of biomaterials. *J Mater Chem B.* **2016**, *4*, 9-26.
19. Sherratt, M. J. Tissue elasticity and the ageing elastic fibre. *Age (Dordr).* **2009**, *31*, 305-325.
20. Engler, A. J.; Sen, S.; Sweeney, H. L.; Discher, D. E. Matrix elasticity directs stem cell lineage specification. *Cell.* **2006**, *126*, 677-689.
21. Erickson, A. E.; Lan Levengood, S. K.; Sun, J.; Chang, F. C.; Zhang, M.

- Fabrication and characterization of chitosan-hyaluronic acid scaffolds with varying stiffness for glioblastoma cell culture. *Adv Healthc Mater.* **2018**, *7*, e1800295.
22. Vorwald, C. E.; Gonzalez-Fernandez, T.; Joshee, S.; Sikorski, P.; Leach, J. K. Tunable fibrin-alginate interpenetrating network hydrogels to support cell spreading and network formation. *Acta Biomater.* **2020**, *108*, 142-152.
 23. Narkhede, A. A.; Crenshaw, J. H.; Manning, R. M.; Rao, S. S. The influence of matrix stiffness on the behavior of brain metastatic breast cancer cells in a biomimetic hyaluronic acid hydrogel platform. *J Biomed Mater Res A*. **2018**, *106*, 1832-1841.
 24. Sun, Y.; Zhang, K.; Deng, R.; Ren, X.; Wu, C.; Li, J. Tunable stiffness of graphene oxide/polyacrylamide composite scaffolds regulates cytoskeleton assembly. *Chem Sci*. **2018**, *9*, 6516-6522.
 25. Corbin, E. A.; Vite, A.; Peyster, E. G.; Bhoopal, M.; Brandimarto, J.; Wang, X.; Bennett, A. I.; Clark, A. T.; Cheng, X.; Turner, K. T.; Musunuru, K.; Margulies, K. B. Tunable and reversible substrate stiffness reveals a dynamic mechanosensitivity of cardiomyocytes. *ACS Appl Mater Interfaces*. **2019**, *11*, 20603-20614.
 26. Mi, H. Y.; Jing, X.; Yilmaz, G.; Hagerty, B. S.; Enriquez, E.; Turng, L. S. In situ synthesis of polyurethane scaffolds with tunable properties by controlled crosslinking of tri-block copolymer and polycaprolactone triol for tissue regeneration. *Chem Eng J*. **2018**, *348*, 786-798.
 27. Buitrago, J. O.; Patel, K. D.; El-Fiqi, A.; Lee, J. H.; Kundu, B.; Lee, H. H.; Kim, H. W. Silk fibroin/collagen protein hybrid cell-encapsulating hydrogels with tunable gelation and improved physical and biological properties. *Acta Biomater.* **2018**, *69*, 218-233.
 28. Crocini, C.; Walker, C. J.; Anseth, K. S.; Leinwand, L. A. Three-dimensional encapsulation of adult mouse cardiomyocytes in hydrogels with tunable stiffness. *Prog Biophys Mol Biol*. **2020**, *154*, 71-79.
 29. Yi, B.; Shen, Y.; Tang, H.; Wang, X.; Li, B.; Zhang, Y. Stiffness of aligned fibers regulates the phenotypic expression of vascular smooth muscle cells. *ACS Appl Mater Interfaces*. **2019**, *11*, 6867-6880.
 30. Wu, Y.; Xiang, Y.; Fang, J.; Li, X.; Lin, Z.; Dai, G.; Yin, J.; Wei, P.; Zhang, D. The influence of the stiffness of GelMA substrate on the outgrowth of PC12 cells. *Biosci Rep*. **2019**, *39*, BSR20181748.
 31. Jiang, P.; Mao, Z.; Gao, C. Combinational effect of matrix elasticity and alendronate density on differentiation of rat mesenchymal stem cells. *Acta Biomater.* **2015**, *19*, 76-84.
 32. Berger, A. J.; Linsmeier, K. M.; Kreeger, P. K.; Masters, K. S. Decoupling the effects of stiffness and fiber density on cellular behaviors via an interpenetrating network of gelatin-methacrylate and collagen. *Biomaterials*. **2017**, *141*, 125-135.
 33. Ansari, S.; Sarrion, P.; Hasani-Sadabadi, M. M.; Aghaloo, T.; Wu, B. M.; Moshaverinia, A. Regulation of the fate of dental-derived mesenchymal stem cells using engineered alginate-GelMA hydrogels. *J Biomed Mater Res A*. **2017**, *105*, 2957-2967.
 34. Ansari, S.; Chen, C.; Hasani-Sadabadi, M. M.; Yu, B.; Zadeh, H. H.; Wu, B. M.; Moshaverinia, A. Hydrogel elasticity and microarchitecture regulate dental-derived mesenchymal stem cell-host immune system cross-talk. *Acta Biomater.* **2017**, *60*, 181-189.
 35. Wang, X.; Ding, Z.; Wang, C.; Chen, X.; Xu, H.; Lu, Q.; Kaplan, D. L. Bioactive silk hydrogels with tunable mechanical properties. *J Mater Chem B*. **2018**, *6*, 2739-2746.
 36. Zhu, C.; Li, J.; Liu, C.; Zhou, P.; Yang, H.; Li, B. Modulation of the gene expression of annulus fibrosus-derived stem cells using poly(ether carbonate urethane)urea scaffolds of tunable elasticity. *Acta Biomater.* **2016**, *29*, 228-238.
 37. Günay, K. A.; Ceccato, T. L.; Silver, J. S.; Bannister, K. L.; Bednarski, O. J.; Leinwand, L. A.; Anseth, K. S. PEG-anthracene hydrogels as an on-demand stiffening matrix to study mechanobiology. *Angew Chem Int Ed Engl*. **2019**, *58*, 9912-9916.
 38. Young, J. L.; Engler, A. J. Hydrogels with time-dependent material properties enhance cardiomyocyte differentiation *in vitro*. *Biomaterials*. **2011**, *32*, 1002-1009.
 39. Fu, L.; Haage, A.; Kong, N.; Tanentzapf, G.; Li, H. Dynamic protein hydrogels with reversibly tunable stiffness regulate human lung fibroblast spreading reversibly. *Chem Commun (Camb)*. **2019**, *55*, 5235-5238.
 40. Zhang, D.; Zhou, C.; Wang, Q.; Cai, L.; Du, W.; Li, X.; Zhou, X.; Xie, J. Extracellular matrix elasticity regulates osteocyte gap junction elongation: involvement of paxillin in intracellular signal transduction. *Cell Physiol Biochem*. **2018**, *51*, 1013-1026.
 41. Xie, J.; Zhang, Q.; Zhu, T.; Zhang, Y.; Liu, B.; Xu, J.; Zhao, H. Substrate stiffness-regulated matrix metalloproteinase output in myocardial cells and cardiac fibroblasts: implications for myocardial fibrosis. *Acta Biomater.* **2014**, *10*, 2463-2472.
 42. Yeung, T.; Georges, P. C.; Flanagan, L. A.; Marg, B.; Ortiz, M.; Funaki, M.; Zahir, N.; Ming, W.; Weaver, V.; Janmey, P. A. Effects of substrate stiffness on cell morphology, cytoskeletal structure, and adhesion. *Cell Motil Cytoskeleton*. **2005**, *60*, 24-34.
 43. Hansen, T. D.; Koepsel, J. T.; Le, N. N.; Nguyen, E. H.; Zorn, S.; Parlato, M.; Loveland, S. G.; Schwartz, M. P.; Murphy, W. L. Biomaterial arrays with defined adhesion ligand densities and matrix stiffness identify distinct phenotypes for tumorigenic and nontumorigenic human mesenchymal cell types. *Biomater Sci*. **2014**, *2*, 745-756.
 44. Melica, M. E.; La Regina, G.; Parri, M.; Peired, A. J.; Romagnani, P.; Lasagni, L. Substrate stiffness modulates renal progenitor cell properties via a ROCK-mediated mechanotransduction Mechanism. *Cells*. **2019**, *8*, 1561.
 45. Peyton, S. R.; Putnam, A. J. Extracellular matrix rigidity governs smooth muscle cell motility in a biphasic fashion. *J Cell Physiol*. **2005**, *204*, 198-209.
 46. Bangasser, B. L.; Shamsan, G. A.; Chan, C. E.; Opoku, K. N.; Tüzel, E.; Schlichtmann, B. W.; Kasim, J. A.; Fuller, B. J.; McCullough, B. R.; Rosenfeld, S. S.; Odde, D. J. Shifting the optimal stiffness for cell migration. *Nat Commun*. **2017**, *8*, 15313.
 47. Lo, C. M.; Wang, H. B.; Dembo, M.; Wang, Y. L. Cell movement is guided by the rigidity of the substrate. *Biophys J*. **2000**, *79*, 144-152.
 48. Okimura, C.; Sakumura, Y.; Shimabukuro, K.; Iwade, Y. Sensing of substratum rigidity and directional migration by fast-crawling cells. *Phys Rev E*. **2018**, *97*, 052401.
 49. Hartman, C. D.; Isenberg, B. C.; Chua, S. G.; Wong, J. Y. Vascular smooth muscle cell durotaxis depends on extracellular matrix composition. *Proc Natl Acad Sci U S A*. **2016**, *113*, 11190-11195.
 50. Liu, N.; Zhou, M.; Zhang, Q.; Yong, L.; Zhang, T.; Tian, T.; Ma, Q.; Lin, S.; Zhu, B.; Cai, X. Effect of substrate stiffness on proliferation and differentiation of periodontal ligament stem cells. *Cell Prolif*. **2018**, *51*, e12478.
 51. Ansardamavandi, A.; Tafazzoli-Shadpour, M.; Shokrgozar, M. A. Behavioral remodeling of normal and cancerous epithelial cell lines with differing invasion potential induced by substrate elastic modulus. *Cell Adh Migr*. **2018**, *12*, 472-488.
 52. Leipzig, N. D.; Shoichet, M. S. The effect of substrate stiffness on adult neural stem cell behavior. *Biomaterials*. **2009**, *30*, 6867-6878.

53. Robinson, K. G.; Nie, T.; Baldwin, A. D.; Yang, E. C.; Kiick, K. L.; Akins, R. E., Jr. Differential effects of substrate modulus on human vascular endothelial, smooth muscle, and fibroblastic cells. *J Biomed Mater Res A*. **2012**, *100*, 1356-1367.
54. Eroshenko, N.; Ramachandran, R.; Yadavalli, V. K.; Rao, R. R. Effect of substrate stiffness on early human embryonic stem cell differentiation. *J Biol Eng*. **2013**, *7*, 7.
55. Arshi, A.; Nakashima, Y.; Nakano, H.; Eaimkhong, S.; Evseenko, D.; Reed, J.; Stieg, A. Z.; Gimzewski, J. K.; Nakano, A. Rigid microenvironments promote cardiac differentiation of mouse and human embryonic stem cells. *Sci Technol Adv Mater*. **2013**, *14*, 025003.
56. Macrí-Pellizzeri, L.; Pelacho, B.; Sancho, A.; Iglesias-García, O.; Simón-Yarza, A. M.; Soriano-Navarro, M.; González-Granero, S.; García-Verdugo, J. M.; De-Juan-Pardo, E. M.; Prosper, F. Substrate stiffness and composition specifically direct differentiation of induced pluripotent stem cells. *Tissue Eng Part A*. **2015**, *21*, 1633-1641.
57. Fu, J.; Chuah, Y. J.; Liu, J.; Tan, S. Y.; Wang, D. A. Respective effects of gelatin-coated polydimethylsiloxane (PDMS) substrates on self-renewal and cardiac differentiation of induced pluripotent stem cells (iPSCs). *ACS Biomater Sci Eng*. **2018**, *4*, 4321-4330.
58. Janmey, P. A.; Fletcher, D. A.; Reinhart-King, C. A. Stiffness sensing by cells. *Physiol Rev*. **2020**, *100*, 695-724.
59. Lantoine, J.; Grevesse, T.; Villers, A.; Delhay, G.; Mestdag, C.; Versaev, M.; Mohammed, D.; Bruyère, C.; Alaimo, L.; Lacour, S. P.; Ris, L.; Gabriele, S. Matrix stiffness modulates formation and activity of neuronal networks of controlled architectures. *Biomaterials*. **2016**, *89*, 14-24.
60. Chen, G.; Dong, C.; Yang, L.; Lv, Y. 3D scaffolds with different stiffness but the same microstructure for bone tissue engineering. *ACS Appl Mater Interfaces*. **2015**, *7*, 15790-15802.
61. Zhang, Q.; Yu, Y.; Zhao, H. The effect of matrix stiffness on biomechanical properties of chondrocytes. *Acta Biochim Biophys Sin (Shanghai)*. **2016**, *48*, 958-965.
62. Sun, A. X.; Lin, H.; Fritch, M. R.; Shen, H.; Alexander, P. G.; DeHart, M.; Tuan, R. S. Chondrogenesis of human bone marrow mesenchymal stem cells in 3-dimensional, photocrosslinked hydrogel constructs: Effect of cell seeding density and material stiffness. *Acta Biomater*. **2017**, *58*, 302-311.
63. Sarem, M.; Arya, N.; Heizmann, M.; Neffe, A. T.; Barbero, A.; Gebauer, T. P.; Martin, I.; Lendlein, A.; Shastri, V. P. Interplay between stiffness and degradation of architected gelatin hydrogels leads to differential modulation of chondrogenesis *in vitro* and *in vivo*. *Acta Biomater*. **2018**, *69*, 83-94.
64. Zhan, X. Effect of matrix stiffness and adhesion ligand density on chondrogenic differentiation of mesenchymal stem cells. *J Biomed Mater Res A*. **2020**, *108*, 675-683.
65. Takaza, M.; Moerman, K. M.; Gindre, J.; Lyons, G.; Simms, C. K. The anisotropic mechanical behaviour of passive skeletal muscle tissue subjected to large tensile strain. *J Mech Behav Biomed Mater*. **2013**, *17*, 209-220.
66. Asbach, P.; Klatt, D.; Hamhaber, U.; Braun, J.; Somasundaram, R.; Hamm, B.; Sack, I. Assessment of liver viscoelasticity using multifrequency MR elastography. *Magn Reson Med*. **2008**, *60*, 373-379.
67. Balleyguier, C.; Canale, S.; Ben Hassen, W.; Vielh, P.; Bayou, E. H.; Mathieu, M. C.; Uzan, C.; Bourcier, C.; Dromain, C. Breast elasticity: principles, technique, results: an update and overview of commercially available software. *Eur J Radiol*. **2013**, *82*, 427-434.
68. Kearney, S. P.; Khan, A.; Dai, Z.; Royston, T. J. Dynamic viscoelastic models of human skin using optical elastography. *Phys Med Biol*. **2015**, *60*, 6975-6990.
69. Yang, X.; Muthukumar, P.; DasDe, S.; Teoh, S. H.; Choi, H.; Lim, S. K.; Lee, T. Positive alterations of viscoelastic and geometric properties in ovariectomized rat femurs with concurrent administration of ibandronate and PTH. *Bone*. **2013**, *52*, 308-317.
70. Cameron, A. R.; Frith, J. E.; Cooper-White, J. J. The influence of substrate creep on mesenchymal stem cell behaviour and phenotype. *Biomaterials*. **2011**, *32*, 5979-5993.
71. Charrier, E. E.; Pogoda, K.; Wells, R. G.; Janmey, P. A. Control of cell morphology and differentiation by substrates with independently tunable elasticity and viscous dissipation. *Nat Commun*. **2018**, *9*, 449.
72. Chaudhuri, O.; Gu, L.; Darnell, M.; Klumpers, D.; Bencherif, S. A.; Weaver, J. C.; Huebsch, N.; Mooney, D. J. Substrate stress relaxation regulates cell spreading. *Nat Commun*. **2015**, *6*, 6364.
73. Chaudhuri, O.; Gu, L.; Klumpers, D.; Darnell, M.; Bencherif, S. A.; Weaver, J. C.; Huebsch, N.; Lee, H. P.; Lippens, E.; Duda, G. N.; Mooney, D. J. Hydrogels with tunable stress relaxation regulate stem cell fate and activity. *Nat Mater*. **2016**, *15*, 326-334.
74. Nam, S.; Stowers, R.; Lou, J.; Xia, Y.; Chaudhuri, O. Varying PEG density to control stress relaxation in alginate-PEG hydrogels for 3D cell culture studies. *Biomaterials*. **2019**, *200*, 15-24.
75. Vining, K. H.; Stafford, A.; Mooney, D. J. Sequential modes of crosslinking tune viscoelasticity of cell-instructive hydrogels. *Biomaterials*. **2019**, *188*, 187-197.
76. Nam, S.; Hu, K. H.; Butte, M. J.; Chaudhuri, O. Strain-enhanced stress relaxation impacts nonlinear elasticity in collagen gels. *Proc Natl Acad Sci U S A*. **2016**, *113*, 5492-5497.
77. Rosales, A. M.; Rodell, C. B.; Chen, M. H.; Morrow, M. G.; Anseth, K. S.; Burdick, J. A. Reversible control of network properties in azobenzene-containing hyaluronic acid-based hydrogels. *Bioconjug Chem*. **2018**, *29*, 905-913.
78. Marozas, I. A.; Anseth, K. S.; Cooper-White, J. J. Adaptable boronate ester hydrogels with tunable viscoelastic spectra to probe timescale dependent mechanotransduction. *Biomaterials*. **2019**, *223*, 119430.
79. Tang, S.; Ma, H.; Tu, H. C.; Wang, H. R.; Lin, P. C.; Anseth, K. S. Adaptable fast relaxing boronate-based hydrogels for probing cell-matrix interactions. *Adv Sci (Weinh)*. **2018**, *5*, 1800638.
80. Hui, E.; Gimeno, K. I.; Guan, G.; Caliri, S. R. Spatiotemporal control of viscoelasticity in phototunable hyaluronic acid hydrogels. *Biomacromolecules*. **2019**, *20*, 4126-4134.
81. Lou, J.; Stowers, R.; Nam, S.; Xia, Y.; Chaudhuri, O. Stress relaxing hyaluronic acid-collagen hydrogels promote cell spreading, fiber remodeling, and focal adhesion formation in 3D cell culture. *Biomaterials*. **2018**, *154*, 213-222.
82. Sánchez-Morán, H.; Ahmadi, A.; Vogler, B.; Roh, K. H. Oxime cross-linked alginate hydrogels with tunable stress relaxation. *Biomacromolecules*. **2019**, *20*, 4419-4429.
83. McKinnon, D. D.; Domaille, D. W.; Cha, J. N.; Anseth, K. S. Biophysically defined and cytocompatible covalently adaptable networks as viscoelastic 3D cell culture systems. *Adv Mater*. **2014**, *26*, 865-872.
84. Brown, T. E.; Carberry, B. J.; Worrell, B. T.; Dudaryeva, O. Y.; McBride, M. K.; Bowman, C. N.; Anseth, K. S. Photopolymerized dynamic hydrogels with tunable viscoelastic properties through thioester exchange. *Biomaterials*. **2018**, *178*, 496-503.
85. Loebel, C.; Ayoub, A.; Galarraga, J. H.; Kossover, O.; Simaan-Yameen, H.; Seliktar, D.; Burdick, J. A. Tailoring supramolecular guest-host

- hydrogel viscoelasticity with covalent fibrinogen double networks. *J Mater Chem B*. **2019**, *7*, 1753-1760.
86. Zhao, X.; Huebsch, N.; Mooney, D. J.; Suo, Z. Stress-relaxation behavior in gels with ionic and covalent crosslinks. *J Appl Phys*. **2010**, *107*, 63509.
 87. Lee, H. P.; Gu, L.; Mooney, D. J.; Levenston, M. E.; Chaudhuri, O. Mechanical confinement regulates cartilage matrix formation by chondrocytes. *Nat Mater*. **2017**, *16*, 1243-1251.
 88. Ryan, A. J.; O'Brien, F. J. Insoluble elastin reduces collagen scaffold stiffness, improves viscoelastic properties, and induces a contractile phenotype in smooth muscle cells. *Biomaterials*. **2015**, *73*, 296-307.
 89. Bauer, A.; Gu, L.; Kwee, B.; Li, W. A.; Dellacherie, M.; Celiz, A. D.; Mooney, D. J. Hydrogel substrate stress-relaxation regulates the spreading and proliferation of mouse myoblasts. *Acta Biomater*. **2017**, *62*, 82-90.
 90. Zheng, J. Y.; Han, S. P.; Chiu, Y. J.; Yip, A. K.; Boichat, N.; Zhu, S. W.; Zhong, J.; Matsudaira, P. Epithelial monolayers coalesce on a viscoelastic substrate through redistribution of vinculin. *Biophys J*. **2017**, *113*, 1585-1598.
 91. Sommerfeld, S. D.; Elisseff, J. H. Time to relax: mechanical stress release guides stem cell responses. *Cell Stem Cell*. **2016**, *18*, 166-167.
 92. Ghosh, P.; Rameshbabu, A. P.; Dhara, S. Citrate cross-linked gels with strain reversibility and viscoelastic behavior accelerate healing of osteochondral defects in a rabbit model. *Langmuir*. **2014**, *30*, 8442-8451.
 93. Ghosh, P.; Rameshbabu, A. P.; Das, D.; Francis, N. K.; Pawar, H. S.; Subramanian, B.; Pal, S.; Dhara, S. Covalent cross-links in polyampholytic chitosan fibers enhances bone regeneration in a rabbit model. *Colloids Surf B Biointerfaces*. **2015**, *125*, 160-169.
 94. Darnell, M.; Young, S.; Gu, L.; Shah, N.; Lippens, E.; Weaver, J.; Duda, G.; Mooney, D. Substrate stress-relaxation regulates scaffold remodeling and bone formation *in vivo*. *Adv Healthc Mater*. **2017**, *6*, 1601185.
 95. Richardson, B. M.; Wilcox, D. G.; Randolph, M. A.; Anseth, K. S. Hydrazone covalent adaptable networks modulate extracellular matrix deposition for cartilage tissue engineering. *Acta Biomater*. **2019**, *83*, 71-82.
 96. Li, W.; Wu, D.; Hu, D.; Zhu, S.; Pan, C.; Jiao, Y.; Li, L.; Luo, B.; Zhou, C.; Lu, L. Stress-relaxing double-network hydrogel for chondrogenic differentiation of stem cells. *Mater Sci Eng C Mater Biol Appl*. **2020**, *107*, 110333.
 97. Mandal, K.; Gong, Z.; Rylander, A.; Shenoy, V. B.; Janmey, P. A. Opposite responses of normal hepatocytes and hepatocellular carcinoma cells to substrate viscoelasticity. *Biomater Sci*. **2020**, *8*, 1316-1328.
 98. Chen, J.; Wright, K. E.; Birch, M. A. Nanoscale viscoelastic properties and adhesion of polydimethylsiloxane for tissue engineering. *Acta Mech Sin*. **2014**, *30*, 2-6.
 99. Trappmann, B.; Gautrot, J. E.; Connelly, J. T.; Strange, D. G.; Li, Y.; Oyen, M. L.; Cohen Stuart, M. A.; Boehm, H.; Li, B.; Vogel, V.; Spatz, J. P.; Watt, F. M.; Huck, W. T. Extracellular-matrix tethering regulates stem-cell fate. *Nat Mater*. **2012**, *11*, 642-649.
 100. Wen, J. H.; Vincent, L. G.; Fuhrmann, A.; Choi, Y. S.; Hribar, K. C.; Taylor-Weiner, H.; Chen, S.; Engler, A. J. Interplay of matrix stiffness and protein tethering in stem cell differentiation. *Nat Mater*. **2014**, *13*, 979-987.
 101. Sadtler, K.; Wolf, M. T.; Ganguly, S.; Moad, C. A.; Chung, L.; Majumdar, S.; Housseau, F.; Pardoll, D. M.; Elisseff, J. H. Divergent immune responses to synthetic and biological scaffolds. *Biomaterials*. **2019**, *192*, 405-415.
 102. Chu, G.; Yuan, Z.; Zhu, C.; Zhou, P.; Wang, H.; Zhang, W.; Cai, Y.; Zhu, X.; Yang, H.; Li, B. Substrate stiffness- and topography-dependent differentiation of annulus fibrosus-derived stem cells is regulated by Yes-associated protein. *Acta Biomater*. **2019**, *92*, 254-264.
 103. Shvedova, A. A.; Kisin, E. R.; Mercer, R.; Murray, A. R.; Johnson, V. J.; Potapovich, A. I.; Tyurina, Y. Y.; Gorelik, O.; Arepalli, S.; Schwegler-Berry, D.; Hubbs, A. F.; Antonini, J.; Evans, D. E.; Ku, B. K.; Ramsey, D.; Maynard, A.; Kagan, V. E.; Castranova, V.; Baron, P. Unusual inflammatory and fibrogenic pulmonary responses to single-walled carbon nanotubes in mice. *Am J Physiol Lung Cell Mol Physiol*. **2005**, *289*, L698-708.
 104. Suki, B.; Sato, S.; Parameswaran, H.; Szabari, M. V.; Takahashi, A.; Bartolák-Suki, E. Emphysema and mechanical stress-induced lung remodeling. *Physiology (Bethesda)*. **2013**, *28*, 404-413.
 105. Nguyen, A. T.; Sathe, S. R.; Yim, E. K. From nano to micro: topographical scale and its impact on cell adhesion, morphology and contact guidance. *J Phys Condens Matter*. **2016**, *28*, 183001.
 106. Wu, S.; Duan, B.; Qin, X.; Butcher, J. T. Living nano-micro fibrous woven fabric/hydrogel composite scaffolds for heart valve engineering. *Acta Biomater*. **2017**, *51*, 89-100.
 107. Wang, S.; Zhong, S.; Lim, C. T.; Nie, H. Effects of fiber alignment on stem cells-fibrous scaffold interactions. *J Mater Chem B*. **2015**, *3*, 3358-3366.
 108. Fu, X.; Wang, H. Spatial arrangement of polycaprolactone/collagen nanofiber scaffolds regulates the wound healing related behaviors of human adipose stromal cells. *Tissue Eng Part A*. **2012**, *18*, 631-642.
 109. Moffa, M.; Sciancalepore, A. G.; Passione, L. G.; Pisignano, D. Combined nano- and micro-scale topographic cues for engineered vascular constructs by electrospinning and imprinted micro-patterns. *Small*. **2014**, *10*, 2439-2450.
 110. Yan, J.; Qiang, L.; Gao, Y.; Cui, X.; Zhou, H.; Zhong, S.; Wang, Q.; Wang, H. Effect of fiber alignment in electrospun scaffolds on keratocytes and corneal epithelial cells behavior. *J Biomed Mater Res A*. **2012**, *100*, 527-535.
 111. Stevens, M. M.; George, J. H. Exploring and engineering the cell surface interface. *Science*. **2005**, *310*, 1135-1138.
 112. Dalby, M. J.; Gadegaard, N.; Oreffo, R. O. Harnessing nanotopography and integrin-matrix interactions to influence stem cell fate. *Nat Mater*. **2014**, *13*, 558-569.
 113. Hou, Y.; Yu, L.; Xie, W.; Camacho, L. C.; Zhang, M.; Chu, Z.; Wei, Q.; Haag, R. Surface roughness and substrate stiffness synergize to drive cellular mechanoreponse. *Nano Lett*. **2020**, *20*, 748-757.
 114. Jahanmard, F.; Baghban Eslaminejad, M.; Amani-Tehran, M.; Zarei, F.; Rezaei, N.; Croes, M.; Amin Yavari, S. Incorporation of F-MWCNTs into electrospun nanofibers regulates osteogenesis through stiffness and nanotopography. *Mater Sci Eng C Mater Biol Appl*. **2020**, *106*, 110163.
 115. Qu, F.; Guilak, F.; Mauck, R. L. Cell migration: implications for repair and regeneration in joint disease. *Nat Rev Rheumatol*. **2019**, *15*, 167-179.
 116. Liu, W.; Thomopoulos, S.; Xia, Y. Electrospun nanofibers for regenerative medicine. *Adv Healthc Mater*. **2012**, *1*, 10-25.
 117. Song, K. H.; Heo, S. J.; Peredo, A. P.; Davidson, M. D.; Mauck, R. L.; Burdick, J. A. Influence of fiber stiffness on meniscal cell migration into dense fibrous networks. *Adv Healthc Mater*. **2020**, *9*, e1901228.
 118. Davidson, M. D.; Song, K. H.; Lee, M. H.; Llewellyn, J.; Du, Y.; Baker, B. M.; Wells, R. G.; Burdick, J. A. Engineered fibrous networks to investigate the influence of fiber mechanics on myofibroblast differentiation. *ACS Biomater Sci Eng*. **2019**, *5*, 3899-3908.

119. Northey, J. J.; Przybyla, L.; Weaver, V. M. Tissue force programs cell fate and tumor aggression. *Cancer Discov.* **2017**, *7*, 1224-1237.
120. Brusatin, G.; Panciera, T.; Gandin, A.; Citron, A.; Piccolo, S. Biomaterials and engineered microenvironments to control YAP/TAZ-dependent cell behaviour. *Nat Mater.* **2018**, *17*, 1063-1075.
121. Hove, J. R.; Köster, R. W.; Forouhar, A. S.; Acevedo-Bolton, G.; Fraser, S. E.; Gharib, M. Intracardiac fluid forces are an essential epigenetic factor for embryonic cardiogenesis. *Nature.* **2003**, *421*, 172-177.
122. Yang, Y.; Beqaj, S.; Kemp, P.; Ariel, I.; Schuger, L. Stretch-induced alternative splicing of serum response factor promotes bronchial myogenesis and is defective in lung hypoplasia. *J Clin Invest.* **2000**, *106*, 1321-1330.
123. Lefebvre, V.; Bhattaram, P. Vertebrate skeletogenesis. *Curr Top Dev Biol.* **2010**, *90*, 291-317.
124. Ni, S.; Ling, Z.; Wang, X.; Cao, Y.; Wu, T.; Deng, R.; Crane, J. L.; Skolasky, R.; Demehri, S.; Zhen, G.; Jain, A.; Wu, P.; Pan, D.; Hu, B.; Lyu, X.; Li, Y.; Chen, H.; Qi, H.; Guan, Y.; Dong, X.; Wan, M.; Zou, X.; Lu, H.; Hu, J.; Cao, X. Sensory innervation in porous endplates by Netrin-1 from osteoclasts mediates PGE2-induced spinal hypersensitivity in mice. *Nat Commun.* **2019**, *10*, 5643.
125. Lacroix, D.; Prendergast, P. J. A mechano-regulation model for tissue differentiation during fracture healing: analysis of gap size and loading. *J Biomech.* **2002**, *35*, 1163-1171.
126. Meza, D.; Musmacker, B.; Steadman, E.; Stransky, T.; Rubenstein, D. A.; Yin, W. Endothelial cell biomechanical responses are dependent on both fluid shear stress and tensile strain. *Cell Mol Bioeng.* **2019**, *12*, 311-325.
127. Gayer, C. P.; Basson, M. D. The effects of mechanical forces on intestinal physiology and pathology. *Cell Signal.* **2009**, *21*, 1237-1244.
128. Madhavan, S.; Anghelina, M.; Rath-Deschner, B.; Wypasek, E.; John, A.; Deschner, J.; Piesco, N.; Agarwal, S. Biomechanical signals exert sustained attenuation of proinflammatory gene induction in articular chondrocytes. *Osteoarthritis Cartilage.* **2006**, *14*, 1023-1032.
129. Sowa, G.; Agarwal, S. Cyclic tensile stress exerts a protective effect on intervertebral disc cells. *Am J Phys Med Rehabil.* **2008**, *87*, 537-544.
130. Branski, R. C.; Perera, P.; Verdolini, K.; Rosen, C. A.; Hebda, P. A.; Agarwal, S. Dynamic biomechanical strain inhibits IL-1 β -induced inflammation in vocal fold fibroblasts. *J Voice.* **2007**, *21*, 651-660.
131. Zhao, R.; Liu, W.; Xia, T.; Yang, L. Disordered mechanical stress and tissue engineering therapies in intervertebral disc degeneration. *Polymers (Basel).* **2019**, *11*, 1151.
132. Pratsinis, H.; Papadopoulou, A.; Neidlinger-Wilke, C.; Brayda-Bruno, M.; Wilke, H. J.; Kleis, D. Cyclic tensile stress of human annulus fibrosus cells induces MAPK activation: involvement in proinflammatory gene expression. *Osteoarthritis Cartilage.* **2016**, *24*, 679-687.
133. Yurube, T.; Hirata, H.; Kakutani, K.; Maeno, K.; Takada, T.; Zhang, Z.; Takayama, K.; Matsushita, T.; Kuroda, R.; Kurosaka, M.; Nishida, K. Notochordal cell disappearance and modes of apoptotic cell death in a rat tail static compression-induced disc degeneration model. *Arthritis Res Ther.* **2014**, *16*, R31.
134. Chang, S. H.; Mori, D.; Kobayashi, H.; Mori, Y.; Nakamoto, H.; Okada, K.; Taniguchi, Y.; Sugita, S.; Yano, F.; Chung, U. I.; Kim-Kaneyama, J. R.; Yanagita, M.; Economides, A.; Canalis, E.; Chen, D.; Tanaka, S.; Saito, T. Excessive mechanical loading promotes osteoarthritis through the gremlin-1-NF- κ B pathway. *Nat Commun.* **2019**, *10*, 1442.
135. Yanoshita, M.; Hirose, N.; Okamoto, Y.; Sumi, C.; Takano, M.; Nishiyama, S.; Asakawa-Tanne, Y.; Horie, K.; Onishi, A.; Yamauchi, Y.; Mitsuyoshi, T.; Kunimatsu, R.; Tanimoto, K. Cyclic tensile strain upregulates pro-inflammatory cytokine expression via FAK-MAPK signaling in chondrocytes. *Inflammation.* **2018**, *41*, 1621-1630.
136. Hirose, N.; Okamoto, Y.; Yanoshita, M.; Asakawa, Y.; Sumi, C.; Takano, M.; Nishiyama, S.; Su, S. C.; Mitsuyoshi, T.; Kunimatsu, R.; Tanne, K.; Tanimoto, K. Protective effects of cilengitide on inflammation in chondrocytes under excessive mechanical stress. *Cell Biol Int.* **2020**, *44*, 966-974.
137. Hunt, B. J.; Jurd, K. M. Endothelial cell activation. A central pathophysiological process. *BMJ.* **1998**, *316*, 1328-1329.
138. Chatterjee, S.; Browning, E. A.; Hong, N.; DeBolt, K.; Sorokina, E. M.; Liu, W.; Birnbaum, M. J.; Fisher, A. B. Membrane depolarization is the trigger for PI3K/Akt activation and leads to the generation of ROS. *Am J Physiol Heart Circ Physiol.* **2012**, *302*, H105-114.
139. Hynes, R. O. Integrins: versatility, modulation, and signaling in cell adhesion. *Cell.* **1992**, *69*, 11-25.
140. Guan, J. L. Integrin signaling through FAK in the regulation of mammary stem cells and breast cancer. *IUBMB Life.* **2010**, *62*, 268-276.
141. Bolós, V.; Gasent, J. M.; López-Tarruella, S.; Grande, E. The dual kinase complex FAK-Src as a promising therapeutic target in cancer. *Onco Targets Ther.* **2010**, *3*, 83-97.
142. Liu, C.; Luo, J. W.; Liang, T.; Lin, L. X.; Luo, Z. P.; Zhuang, Y. Q.; Sun, Y. L. Matrix stiffness regulates the differentiation of tendon-derived stem cells through FAK-ERK1/2 activation. *Exp Cell Res.* **2018**, *373*, 62-70.
143. Lee, H. J.; Li, N.; Evans, S. M.; Diaz, M. F.; Wenzel, P. L. Biomechanical force in blood development: extrinsic physical cues drive pro-hematopoietic signaling. *Differentiation.* **2013**, *86*, 92-103.
144. Biggs, M. J.; Richards, R. G.; Gadegaard, N.; Wilkinson, C. D.; Oreffo, R. O.; Dalby, M. J. The use of nanoscale topography to modulate the dynamics of adhesion formation in primary osteoblasts and ERK/MAPK signalling in STRO-1+ enriched skeletal stem cells. *Biomaterials.* **2009**, *30*, 5094-5103.
145. Teo, B. K.; Wong, S. T.; Lim, C. K.; Kung, T. Y.; Yap, C. H.; Ramagopal, Y.; Romer, L. H.; Yim, E. K. Nanotopography modulates mechanotransduction of stem cells and induces differentiation through focal adhesion kinase. *ACS Nano.* **2013**, *7*, 4785-4798.
146. Khatiwala, C. B.; Kim, P. D.; Peyton, S. R.; Putnam, A. J. ECM compliance regulates osteogenesis by influencing MAPK signaling downstream of RhoA and ROCK. *J Bone Miner Res.* **2009**, *24*, 886-898.
147. Halder, G.; Dupont, S.; Piccolo, S. Transduction of mechanical and cytoskeletal cues by YAP and TAZ. *Nat Rev Mol Cell Biol.* **2012**, *13*, 591-600.
148. Dasgupta, I.; McCollum, D. Control of cellular responses to mechanical cues through YAP/TAZ regulation. *J Biol Chem.* **2019**, *294*, 17693-17706.
149. Du, J.; Chen, X.; Liang, X.; Zhang, G.; Xu, J.; He, L.; Zhan, Q.; Feng, X. Q.; Chien, S.; Yang, C. Integrin activation and internalization on soft ECM as a mechanism of induction of stem cell differentiation by ECM elasticity. *Proc Natl Acad Sci U S A.* **2011**, *108*, 9466-9471.
150. Coste, B.; Mathur, J.; Schmidt, M.; Earley, T. J.; Ranade, S.; Petrus, M. J.; Dubin, A. E.; Patapoutian, A. Piezo1 and Piezo2 are essential components of distinct mechanically activated cation channels. *Science.* **2010**, *330*, 55-60.
151. Pethö, Z.; Najder, K.; Bulk, E.; Schwab, A. Mechanosensitive ion channels push cancer progression. *Cell Calcium.* **2019**, *80*, 79-90.
152. Caliari, S. R.; Vega, S. L.; Kwon, M.; Soulas, E. M.; Burdick, J. A. Dimensionality and spreading influence MSC YAP/TAZ signaling in hydrogel environments. *Biomaterials.* **2016**, *103*, 314-323.

153. Cameron, A. R.; Frith, J. E.; Gomez, G. A.; Yap, A. S.; Cooper-White, J. J. The effect of time-dependent deformation of viscoelastic hydrogels on myogenic induction and Rac1 activity in mesenchymal stem cells. *Biomaterials*. **2014**, *35*, 1857-1868.
154. Yim, E. K.; Darling, E. M.; Kulangara, K.; Guilak, F.; Leong, K. W. Nanotopography-induced changes in focal adhesions, cytoskeletal organization, and mechanical properties of human mesenchymal stem cells. *Biomaterials*. **2010**, *31*, 1299-1306.
155. Mascharak, S.; Benitez, P. L.; Proctor, A. C.; Madl, C. M.; Hu, K. H.; Dewi, R. E.; Butte, M. J.; Heilshorn, S. C. YAP-dependent mechanotransduction is required for proliferation and migration on native-like substrate topography. *Biomaterials*. **2017**, *115*, 155-166.
156. Cui, Y.; Hameed, F. M.; Yang, B.; Lee, K.; Pan, C. Q.; Park, S.; Sheetz, M. Cyclic stretching of soft substrates induces spreading and growth. *Nat Commun*. **2015**, *6*, 6333.
157. Wang, L.; Luo, J. Y.; Li, B.; Tian, X. Y.; Chen, L. J.; Huang, Y.; Liu, J.; Deng, D.; Lau, C. W.; Wan, S.; Ai, D.; Mak, K. K.; Tong, K. K.; Kwan, K. M.; Wang, N.; Chiu, J. J.; Zhu, Y.; Huang, Y. Integrin-YAP/TAZ-JNK cascade mediates atheroprotective effect of unidirectional shear flow. *Nature*. **2016**, *540*, 579-582.
158. Pathak, M. M.; Nourse, J. L.; Tran, T.; Hwe, J.; Arulmoli, J.; Le, D. T.; Bernardis, E.; Flanagan, L. A.; Tombola, F. Stretch-activated ion channel Piezo1 directs lineage choice in human neural stem cells. *Proc Natl Acad Sci U S A*. **2014**, *111*, 16148-16153.
159. Niepel, M. S.; Ekambaram, B. K.; Schmelzer, C. E. H.; Groth, T. Polyelectrolyte multilayers of poly (l-lysine) and hyaluronic acid on nanostructured surfaces affect stem cell response. *Nanoscale*. **2019**, *11*, 2878-2891.
160. Yao, S.; Liu, X.; Yu, S.; Wang, X.; Zhang, S.; Wu, Q.; Sun, X.; Mao, H. Co-effects of matrix low elasticity and aligned topography on stem cell neurogenic differentiation and rapid neurite outgrowth. *Nanoscale*. **2016**, *8*, 10252-10265.
161. Frank, V.; Kaufmann, S.; Wright, R.; Horn, P.; Yoshikawa, H. Y.; Wuchter, P.; Madsen, J.; Lewis, A. L.; Armes, S. P.; Ho, A. D.; Tanaka, M. Frequent mechanical stress suppresses proliferation of mesenchymal stem cells from human bone marrow without loss of multipotency. *Sci Rep*. **2016**, *6*, 24264.
162. Tan, S.; Fang, J. Y.; Yang, Z.; Nimni, M. E.; Han, B. The synergetic effect of hydrogel stiffness and growth factor on osteogenic differentiation. *Biomaterials*. **2014**, *35*, 5294-5306.
163. Grinnell, F.; Ho, C. H. The effect of growth factor environment on fibroblast morphological response to substrate stiffness. *Biomaterials*. **2013**, *34*, 965-974.
164. Chen, C.; Xie, J.; Deng, L.; Yang, L. Substrate stiffness together with soluble factors affects chondrocyte mechanoresponses. *ACS Appl Mater Interfaces*. **2014**, *6*, 16106-16116.
165. Chang, H.; Liu, X. Q.; Hu, M.; Zhang, H.; Li, B. C.; Ren, K. F.; Boudou, T.; Albiges-Rizo, C.; Picart, C.; Ji, J. Substrate stiffness combined with hepatocyte growth factor modulates endothelial cell behavior. *Biomacromolecules*. **2016**, *17*, 2767-2776.
166. Wang, J.; Tian, L.; Chen, N.; Ramakrishna, S.; Mo, X. The cellular response of nerve cells on poly-L-lysine coated PLGA-MWCNTs aligned nanofibers under electrical stimulation. *Mater Sci Eng C Mater Biol Appl*. **2018**, *91*, 715-726.
167. Li, Q.; Zhang, B.; Kasoju, N.; Ma, J.; Yang, A.; Cui, Z.; Wang, H.; Ye, H. Differential and interactive effects of substrate topography and chemistry on human mesenchymal stem cell gene expression. *Int J Mol Sci*. **2018**, *19*, 2344.
168. Yamamoto, S.; Okada, K.; Sasaki, N.; Chang, A. C.; Yamaguchi, K.; Nakanishi, J. Photoactivatable hydrogel interfaces for resolving the interplay of chemical, mechanical, and geometrical regulation of collective cell migration. *Langmuir*. **2019**, *35*, 7459-7468.
169. Li, J.; Kwiatkowska, B.; Lu, H.; Voglstätter, M.; Ueda, E.; Grunze, M.; Sleeman, J.; Levkin, P. A.; Nazarenko, I. Collaborative action of surface chemistry and topography in the regulation of mesenchymal and epithelial markers and the shape of cancer cells. *ACS Appl Mater Interfaces*. **2016**, *8*, 28554-28565.

Received: April 5, 2021

Revised: June 13, 2021

Accepted: July 10, 2021

Available online: December 28, 2021